

BIBLIOGRAPHY BUFFALO SCIENTIFIC ARTICLES

J.G. du Toit & B.L. Penzhorn

2023

REFERENCES

- Ackerman D.J., Reinecke, A.J. & Els H.J. (1994). The ultrastructure of spermatozoa of African Buffalo. (*Syncerus caffer*) in the Kruger National Park. *Animal Reproduction Science*, 36: 87 – 101.
- Alexander, R.M.N., Maloiy, G.M.O., Hunter, B., Jayes, A.S. & Nturib, I.J. (1979). Mechanical stresses in fast locomotion of buffalo (*Syncerus caffer*) and elephant (*Loxodonta africana*). *Journal of Zoology, London*, 189: 135 – 144.
- Alexander, K.A., Blackburn, J.K., Vandewalle, M.E., Pesapane, R., Baipoledi, E.K. & Elzer, P.H. (2012). Buffalo, bush meat, and the zoonotic threat of brucellosis in Botswana. *PLoS ONE*, 7, e32842
- Alexandersen, S., Mowat, N. (2005). Foot-and-mouth disease: Host range and pathogenesis. *Curr. Topics Microbiol. Immunol.*, 288: 9 – 42.
- Allan, F.K., Jayaraman, S., Paxton, E., Sindoya, E., Kibona, T., Fyumagwa, R., Mramba, F., Torr, S.J., Hemmink, J.D., Toye, P., Lembo, T., Handel, I., Auty, H.K., Morrison, W.I. & Morrison, L.J. (2021). Antigenic diversity in *Theileria parva* populations from sympatric cattle and African buffalo analyzed using long read sequencing. *Frontiers in Genetics*, 12. <https://www.frontiersin.org/article/10.3389/fgene.2021.684127> [2022- 04-18]
- Allsopp, B.A., Baylis, H.A., Allsopp, M.T.E.P., Cavalier-Smith, T., Bishop, R., Carrington, D.M., Sohanpal, B. & Spooner, B. (1993). Discrimination between six species of *Theileria* using oligonucleotide probes which detect small subunit ribosomal sequences. *Parasitology*, 107: 157 – 165.
- Allsopp, M.T.E.P., Theron, J., Coetzee, M.L., Dunsterville, M.T. & Allsopp, BA. (1999). The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks. *Onderstepoort J. vet. Res.*, 66: 245 – 249.
- Anderson, E.C. (1981). Role of wildlife in the epidemiology of foot-and-mouth disease in Kenya. In: *Proceedings of a workshop on wildlife disease research and economic development*. Kabete, Kenya.
- Anderson E.C. (1986). Potential for the transmission of foot-and-mouth disease virus from African buffalo (*Syncerus caffer*) to cattle. *Research in Veterinary Science*, 40: 278 – 280.
- Anderson, E.C. (1995). Morbillivirus infections in wildlife (in relation to their population biology and disease). *Veterinary Microbiology*, 44: 319 – 332.
- Anderson, E.C., Doughty, W.J., Anderson, J. & Paling, R.W. (1979). The pathogenesis of foot and mouth disease in the African buffalo (*Syncerus caffer*) and the role of this species in the

epidemiology of the disease in Kenya. *Journal of Comparative Pathology*, 89: 541 – 549.

Anderson, E.C., Foggin, C., Atkinson, M., Sorensen, K.J., Madekurozva, R.L. & Nqindi, J. (1993). The role of wild animals, other than buffalo, in the current epidemiology of foot and mouth disease. *Epidemiology and Infection*, 111: 559 – 563.

Anderson, E.C., Jago, M., Mlengeya, T., Timms, C., Payne, A. & Hirji, K. (1990). A serological Survey of rinderpest antibody in wildlife and sheep and goats in Northern Tanzania. *Epidemiology and Infection*, 105: 203 – 214.

Anderson, E.C. & Knowles, N.J. (1994). An appraisal of the role of the carrier buffalo (*Syncerus caffer*) in the maintenance of foot-and-mouth disease in southern Africa and the possibilities for their utilisation in eco-tourism. In: *OIE Conference on Foot-and-Mouth disease, Contagious Bovine Pleuropneumonia and African Horsesickness*. Gaborone, Botswana. February 1994.

Anderson, E.C. & Rowe, L.W. (1998). The prevalence of antibody to the viruses of bovine virus diarrhoea, bovine herpes virus 1, Rift Valley fever, ephemeral fever and bluetongue and to *Leptospira* sp in free-ranging wildlife in Zimbabwe. *Epidemiol. Inf.*, 121: 441 – 449.

Anderson, K., Ezenwa, V.O. & Jolles, A.E. (2013). Tick infestation patterns in free ranging African buffalo (*Syncerus caffer*): Effects of host innate immunity and niche segregation among tick species. *International Journal for Parasitology: Parasites & Wildlife*, 2: 1 – 9.

Andrew, H.R. & Norval, R.A.I. (1989). The carrier status of sheep, cattle and African buffalo recovered from heartwater. *Veterinary Parasitology*, 34: 261 – 266.

Ansell, W.F.H. (1960). The breeding of some larger mammals in Northern Rhodesia. *Proceedings of the Zoological Society of London*, 134: 251 – 274.

Ansell, W.F.H. (1964). Addenda and corrigenda to "Mammals of Northern Rhodesia". *Puku*, 2: 14 – 52.

Ansell, W.F.H. (1969). A multiple kill by lions and a stolen kill. *Puku*, 5: 214 – 215.

Ansell, W.F.H. & Ansell, P.D.H. (1973). Mammals of the north-eastern montane areas of Zambia. *Puku*, 7: 21 – 69.

Aremu, O., Onadeko, S., Ola-Adams, B. & Inah, E. (2007). Population parameters and biomass of African buffalo (*Syncerus caffer*) in Kainji Lake National Park. Nigeria. *Journal of Applied Sciences*, 7: 1809 – 1812.

Arman, P., Hopcraft, D. & McDonald, I. (1975). Nutritional studies on East African herbivores. 2. Losses of nitrogen in the faeces. *British Journal of Nutrition*, 33: 265 – 276.

Arlotto, T., Gerber, D., Terblanche, S.J., Cooper, D. & Bertschinger, H.J. (2000). Development of morula stage embryos after transvaginal oocyte recovery in the African buffalo, *Syncerus caffer* (abstr.) *Theriogenology*, 53: 324.

Ashcroft, M.T. (1959). The importance of African wild animals as reservoirs of Trypanosomiasis. *East African Medical Journal*, 36: 289 – 297. (Trypanosoma sp; Mozambique)

Atherstone, C., Picozzi, K. & Kalema-Zikusoka, G. (2014). Seroprevalence of *Leptospira hardjo* in cattle and African buffaloes in south western Uganda. *American Journal of Tropical Medicine and Hygiene*, 90(2): 288 – 290. <https://doi.org/10.4269/ajtmh.13-0466>

Attwell, R.I.G. (1966). Oxpeckers and their associations with mammals in Zambia. *Puku*, 4: 17 – 48.

Aubert, M.F.A. (1992). Introduction: Symposium on the health and management of free-ranging mammals. *Revue Scientifique et Technique Office International des Epizooties*, 11: 1009 – 1014.

Ayebazibwe, C., Mwiine, F.N., Tjørnehøj, K., Balinda, S.N., Muwanika, V.B., Ademun Okurut, A.R. *et al.* (2010). The role of African buffaloes (*Syncerus caffer*) in the maintenance of foot-and-mouth disease in Uganda. *BMC Veterinary Research*, 6: 54. <https://doi.org/10.1186/1746-6148-6-54>

Ayele, W.Y., Neill, S.D., Zinsstag, J., Weiss, M.G. & Pavlik, I. (2004). Bovine tuberculosis: an old disease but a new threat to Africa. *Int. J. Tuberculosis Lung Dis.*, 8: 924 – 937.

Ayeni, J.S.O. (1975). Utilization of waterholes in Tsavo National Park (East). *East African Wildlife Journal*, 13: 305 – 323.

Baber, D.J. & Condry, J.B. (1981). Isolation and characterisation of bovine adenoviruses types 3, 4 and 8 from free-living African buffaloes (*Syncerus caffer*). *Research in Veterinary Science*, 31: 69 – 75.

Bainbridge, W.R. (1969). A partly-coloured buffalo. *The Puku*, 5: 216.

Bajyana-songa, E. & Hamers, R. (1988). A card agglutination test (CATT) for veterinary use based on an early VAT RoTat 1/2 of *Trypanosoma evansi*. *Annales de la Societe Belge de Medecine Tropicale*, 68: 233 – 240.

Baker, M.K. & Keep, M.E. (1970). Checklist of the ticks found on the larger game animals in the Natal game reserves. *Lammergeyer*, 12: 14 – 17.

Baldwin, C.L., Malu, M.N., & Grootenhuis, J.G. (1988). Evaluation of cytotoxic lymphocytes

and their parasite strain specificity from African buffalo infected with *Theileria parva*. *Parasite Immunology*, 10: 393 – 403.

Baldwin, C.L., Malu, M.N., Kinuthia, S.W., Conrad, P.A. & Grootenhuis, J.G. (1986). Comparative analysis of infection and transformation of lymphocytes from African buffalo and Boran cattle with *Theileria parva* subsp. *parva* and *T. parva* subsp. *lawrencei*. *Infection and Immunity*, 53: 186 – 191.

Barnard, B.J.H. (1997). Antibodies against some viruses of domestic animals in southern African wild animals. *Onderstepoort J. vet. Res.*, 64: 95 – 110.

Barnett, S.F. & Brocklesby, D.W. (1966). The susceptibility of the African buffalo (*Syncerus caffer*) to infection with *Theileria parva*. *British Veterinary Journal*, 122: 379 – 386.

Barnett, S.F. & Brocklesby, D.W. (1966). Recent investigations into *Theileridae* of cattle and buffalo in Africa. A mild form of East Coast Fever (*Theileria parva*) with persistence of infection. *British Veterinary Journal*, 122: 361 – 370.

Barnett, S.F., Brocklesby, D.W. (1966). The passage of “*Theileria lawrencei* (Kenya)” through cattle. *Br. vet. J.*, 122: 396 – 409.

Bartelmus, C., Giesecke, D. & Hoppe, P. (1976). Vitamin A storage in the liver of certain African ruminants and elephants. *Koedoe*, 19: 27 – 30.

Bartels, P., Lampbrechts, H., Kidson, A. & Friedman, Y. (1996). The potential of breeding disease-free African buffalo using assisted reproductive technology. In: Penzhorn, B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 75 – 78.

Bartels, P., Lubbe, K., Smith, R.L., Godke, R.A. (1999). Morphological changes of caudal epididymal spermatozoa of African buffalo (*Syncerus caffer*) after storage at similar to 6° C (abstr.). *Theriogenology*, 51:279.

Basson, P.A. & Hofmeyr, J.M. (1975). Mortalities associated with wildlife capture operations. In: Young E. (Ed.) *Capture and Care of Wild Animals*. 3rd ed. Cape Town/Pretoria: Human & Rousseau. pp 151 – 160.

Basson, P.A., McCully, R.M., Kruger, S.P., van Niekerk, J.W., Young, E. & de Vos, V. (1970). Parasitic and other diseases of the African buffalo in the Kruger National Park. *Onderstepoort Journal of Veterinary Research*, 37: 11 – 28.

Basson, P.A., McCully, R.M., Kruger, S.P., van Niekerk, J.W., Young, E., de Vos, V., Keep, M.E. & Ebedes H. (1971). Disease conditions of game in Southern Africa: recent miscellaneous findings. *Veterinary Medical Review*, 2/3: 313 – 340.

Bastos, A.D.S. (1998). Detection and characterization of foot-and-mouth disease virus in sub-Saharan Africa. *Onderstepoort J. vet. Res.*, 65: 37 – 47.

Bastos, A.D.S., Bertschinger, H.J., Cordel, C., van Vuuren, C.D.J., Keet, D., Bengis, R.G., Grobler, D.G. & Thomson. G.R. (1999). Possibility of sexual transmission of foot-and-mouth disease from African buffalo to cattle. *Vet. Rec.*, 145: 77 – 79.

Bastos ADS, Boshoff CI, Keet DF, Bengis RG, Thomson GR. 2000. Natural transmission of foot-and-mouth disease virus between African buffalo (*Syncerus caffer*) and impala (*Aepyceros melampus*) in the Kruger National Park, South Africa. *Epidemiol. Inf.* 124: 591-598

Bastos, A.D.S., Haydon, D.T., Forsberg, R., Knowles, N.J., Anderson, E.C., Bengis, R.G., Nel, L.H. & Thomson GR. 2001. Genetic heterogeneity of SAT-1 type foot-and-mouth disease viruses in southern Africa. *Arch. Virol.*, 146(8): 1537 – 1551.

Baxby, D. (1982). The surface antigens of orthopoxviruses detected by cross-neutralization tests on cross-absorbed antisera. *Journal of General Virology*, 58: 251 – 262.

Baxby, D. (1988). Poxvirus infections in domestic animals. In: DARAI G.(ed.) *Virus diseases in laboratory and captive animals*. Norwell, Massachusetts: Martinus Nijhoff. pp 17 – 35.

Beechler, B.R., Broughton, H., Bell, A., Ezenwa, V.O. & Jolles, A.E. (2012) Innate immunity in free-ranging African buffalo (*Syncerus caffer*): Associations with parasite infection and white blood cell counts. *Physiological and Biochemical Zoology*, 85: 255 – 264.

Beechler, B.R., Bengis, R., Swanepoel, R., Paweska, J.T., Kemp, A., Van Vuren, P.J. *et al.* (2015). Rift Valley fever in Kruger National Park: Do buffalo play a role in the interepidemic circulation of virus? *Transboundary and Emerging Diseases*, 62(1): 24 – 32.
<https://doi.org/10.1111/tbed.12197>

Beechler, B.R., Jolles, A.E., Budischak, S.A., Corstjens, P.L.A.M., Ezenwa, V.O., Smith, M. *et al.* (2017). Host immunity, nutrition and coinfection alter longitudinal infection patterns of schistosomes in a free ranging African buffalo population. *PLoS Neglected Tropical Diseases*, 11(12), e0006122. <https://doi.org/10.1371/journal.pntd.0006122>

Beekman, J.H. & Prins, H.H.T. (1989). Feeding strategies of sedentary large herbivores in East Africa, with emphasis on the African buffalo. *African Journal of Ecology*, 27: 129 – 147.

Bengis, R.G. (1993). Chemical capture of the African buffalo *Syncerus caffer*. In: McKenzie A.A. (Ed.) *The capture and care manual. Capture, care, accommodation and transportation of wild African animals*. Pretoria: Wildlife Decision Support Services CC. pp 583 – 590.

Bekhuis, P.D.B.M., de Jong, C.B. & Prins, H.H.T. (2008). Diet selection and density estimates of forest buffalo in Campo-Ma'an National Park, Cameroon. *African Journal of*

Ecology, 46: 668 – 675.

Bengis, R.G. (1993). Care of the African buffalo *Syncerus caffer* in captivity. In: McKenzie A.A. (Ed.) *The capture and care manual. Capture, care, accommodation and transportation of wild African animals*. Pretoria: Wildlife Decision Support Services CC. pp 598 – 600.

Bengis, R.G. (1993). Accommodation of the African buffalo *Syncerus caffer*. In: Mckenzie, A.A. (Ed.) *The capture and care manual. Capture, care, accommodation and transportation of wild African animals*. Pretoria: Wildlife Decision Support Services CC. pp 595 – 597.

Bengis, R.G. (1996). Capture techniques of the African buffalo (*Syncerus caffer*). In: Penzhorn B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 47 – 53.

Bengis, R.G., Thomson, G.R. & de Vos, V. (1987). Foot and mouth disease and the African buffalo: A review. *Journal of the South African Veterinary Association*, 58: 160 – 162.

Bengis, R.G., Thomson, G.R., Hedger, R.S., de Vos, V. & PinI, A. (1986). Foot and mouth disease and the African buffalo (*Syncerus caffer*) 1. Carriers as a source of infection for cattle. *Onderstepoort Journal of Veterinary Research*, 53: 69 – 73.

Bengis, R.G. & Keet, D.F. (2000). Bovine tuberculosis in the Kruger National Park. *N. Am. Vet. Conf. Proc.* 14: 1034 – 1035.

Bengis, R.G., Kriek, N.P.J., Keet, D.F., Raath, J.P., de Vos, V. & Huchzermeyer, H.F.A.K. (1996). An outbreak of bovine tuberculosis in a free-living African buffalo (*Syncerus caffer* Sparman) population in the Kruger National Park: A preliminary report. *Onderstepoort J. Vet. Res.*, 63: 15 – 18.

Bengis, R.G. & Veary, C.M. (1997). Public health risks associated with the utilisation of wildlife products in certain regions of Africa. *Rev. sci. Techn., Off. int. Epizoot.*, 16: 586 – 593.

Bengis, R.G. & Grobler, D.G. (2000). Research into breeding of disease-free African buffalo. *N. Am. Vet. Conf. Proc.*, 14: pp. 1032 – 1033.

Bennitt E. (2012). The ecology of African buffalo (*Syncerus caffer*) in the Okavango Delta, PhD Thesis, Botswana: University of Bristol.

Bennitt, E., Bonyongo, M. & Harris, S. (2016). Effects of divergent migratory strategies on access to resources for Cape buffalo (*Syncerus caffer caffer*). *Journal of Mammalogy*, 97. <https://doi.org/10.1093/jmammal/gyw134>

Bennitt, E., Bonyongo, M.C. & Harris, S. (2018). Cape buffalo (*Syncerus caffer caffer*) social dynamics in a flood-pulsed environment. *Behavioral Ecology*, 29(1): 93 – 105.

doi:10.1093/beheco/arx138.

Berry, P.S.M. (1969). Wanton killing by young lions. *Puku*, 5: 218 – 219.

Berry, M.P.S. (1996). Breeding Corridor disease-free African buffalo - the Kimberley herd. In: Penzhorn BL (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 134 - 138.

Bertschinger, H.J. (1996). Reproduction in the African buffalo: a review. In: Penzhorn B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 62 – 74.

Bezuidenhout, C., Fourie, F. le R., Meintjes, M., Bornman, M.S., Bartels, P. & Godke, R.A. (1995). Comparative epididymal sperm cell motility of African ungulate and equid game species stored at 4°C. *Theriogenology*, 43: 167.

Bindernagel, J.A. (1971). *Elaeophora poeli* (Nematoda: Filarioidea) in African buffalo in Uganda, East Africa. *Journal of Wildlife Diseases*, 7: 296 – 298.

Bindernagel, J.A. (1972). Liver fluke *Fasciola gigantica* in African buffalo and antelopes in Uganda, East Africa. *Journal of Wildlife Diseases*, 8: 315 – 317.

Bindernagel, J.A. (1972). *Thelazia rhodesi* (Nematoda: Spiruroidea) in African buffalo in Uganda, East Africa. *Journal of Parasitology*, 58: 594.

Bindernagel, J.A. & Todd, A. (1972). The population dynamics of *Ashworthius lerouxi* (Nematoda: Trichostrongylidae) in. *British Veterinary Journal*, 128: 452 – 456.

Bishop, R., Sohanpal, B., Kariuki, D.P., Young, A.S., Nene, V., Baylis, H., Allsopp, B.A., Spooner, P.R., Dolan, T.T. & Morzaria, S.P. (1992). Detection of a carrier state in *Theileria*-infected cattle by the polymerase chain reaction. *Parasitology*, 104: 215 – 232.

Bishop, R.P., Hemmink, J.D., Morrison, W.I., Weir, W., Toye, P.G., Sitt, T., Spooner, P.R., Musoke, A.J., Skilton, R.A. & Odongo, D.O. (2015). The African buffalo parasite *Theileria* sp. (buffalo) can infect and immortalize cattle leukocytes and encodes divergent orthologues of *Theileria parva* antigen genes. *International Journal for Parasitology: Parasites & Wildlife*, 4 (3): 333 – 342. <https://doi.org/10.1016/j.ijppaw.2015.08.006>

Blancou, I. (1935). Buffles de L'Oubangui-Chari-Tschad. *Terre et vie*, 5: 221.

Blouin, E.F. & Stoltsz, W.H. (1988). The prevalence of *Theileria parva lawrencei* and *T. mutans* antibodies in buffalo of the Kruger National Park. *Newsletter of the Veterinary Research Institute, Onderstepoort*, 6(1): 3 – 4.

Boomker, J., Horak, I.G., Penzhorn, B.L. & Keet, D.F. (1996). Parasites of the African buffalo: a documentation. In: Penzhorn B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 90-103

Bourlière, F. (1965). Densities and biomass of some ungulate populations in eastern Congo and Rwanda, with notes on population structure and lion/ungulate ratios. *Zoologica Africana*, 1: 199 – 207.

Braack, L. & de Vos, V. (1990). Feeding habits of flight range of blow-flies (*Chrysomyia* spp.) in relation to anthrax transmission in the Kruger National Park, South Africa. *Onderstepoort Journal of Veterinary Research*, 57: 141 – 142.

Branagan, D. (1966). Behaviour of buffaloes with rinderpest. *Bulletin of Epizootic Diseases of Africa*, 14: 341 – 342.

Branagan, D. & Hammond, J.A. (1965). Rinderpest in Tanganyika: a review. *Bulletin of Epizootic Diseases of Africa*, 13: 225 – 246.

Brand, D.J. (1963). Records of mammals bred in the National Zoological Gardens of South Africa during the period 1908 to 1960. *Proceedings of the Zoological Society of London*, 140: 617 – 659.

Brocklesby, D.W. (1965). A new theilerial parasite of the African buffalo (*Syncerus caffer*). *Bulletin of Epizootic Diseases of Africa*, 13: 325 – 330.

Brocklesby, D.W. & Barnett, S.F. (1966). The literature concerning Theileridae of the African buffalo (*Syncerus caffer*). *British Veterinary Journal*, 122: 371 – 378.

Brocklesby, D.W. & Barnett, S.F. (1966). The isolation of *Theileria lawrencei* from a wild buffalo (*Syncerus caffer*) and its serial passage through captive buffaloes. *British Veterinary Journal*, 122: 387 – 395.

Brocklesby, D.W. & Vidler, B.O. (1965). Some parasites of East African wild animals. *East African Wildlife Journal*, 3: 120 – 122.

Brocklesby, D.W. & Vidler, B.O. (1966). Haematozoa found in wild members of the order Artiodactyla in East Africa. *Bull. epizoot. Dis. Afr.*, 14: 285 – 299.

Bronsvoort, B.M.D., Nfon, C., Hamman, S.M., Tanya, V.N., Kitching, R.P. & Morgan, K.L. (2004). Risk factors for herdsman-reported foot-and-mouth disease in the Adamawa Province of Cameroon. *Prev. Vet. Med.*, 66: 127 – 139.

Brooks, P.M. (1981). Comparative longevity of a plastic and a new machine-belt collar on large African ungulates. *South African Journal of Wildlife Research*, 11: 143 – 145.

Brooks, P.M. (1982). Zebra, wildebeest and buffalo subpopulation areas in the Hluhluwe – Corridor- Umfolozi complex, Zululand, and their application in management. *South African Journal of Wildlife Research*, 12: 140 – 146.

Brooks, P.M., Hanks, J. & Ludbrook, J.V. (1977). Bone marrow as an index of condition in African ungulates. *Journal of the South African Wildlife Management Association*, 7: 61 – 66.

Brown, C.G.D. (1979). Propagation of *Theileria*. In: *Symposium: Practical tissue culture applications*. Nairobi, Kenya.

Brown, J.L., Wildt de, Raath, J.P., de Vos V., Howard. J.G, Janssen, D.L., Citino, S.B. & Bush, M. 1991. Impact of season on seminal characteristics and endocrine status of adult free-ranging African buffalo (*Syncerus caffer*). *Journal of Reproduction and Fertility*, 92: 47 – 57.

Brugiere, D., Dia, M., Diakite, S., Gbansara, M., Mamy, M., Saliou, B. & Magassouba, B. (2005). Large- and medium-sized ungulates in the Haut Niger National Park, Republic of Guinea: population changes 1997-2002. *Oryx*, 39: 50 – 55.

Brynard, A.M. (1967). Game control in National Parks. *African Wildlife*, 21: 93 – 100.

Buckley, T.E. (1877). On the past and present geographical distribution of the larger mammals of South Africa. *Proceedings of the Zoological Society of London*, 1877: 452 – 456.

Bukva, V., Vitovec J., Moucham P, & Vahalam J. (1984). Demodicosis of an African buffalo (*Syncerus caffer caffer*) in captivity. *Zentralblatt für Bakteriologie Mikrobiologie und Hygiene A*, 31: 627 – 633.

Bunnell, F.L. & Harestad, A.S. (1990). Activity budgets and body weight in mammals: how sloppy can mammals be? *Current Mammalogy*, 2: 245 – 305.

Bunton, P.H. (1961). Improvements to the Addo Park. *African Wildlife*, 15: 330 – 332.

Burger, J. & Gochfeld, M. (1993). Making foraging decisions: host selection by cattle egrets *Bubulcus ibis*. *Ornis Scandinavica*, 24: 229 – 236.

Burger, J. & Gochfield, M. (1994). Vigilance in African mammals: differences among mothers, other females, and males. *Behaviour*, 131: 153 – 169.

Burridge, M.J. (1975). The role of wild mammals in the epidemiology of bovine theilerioses in East Africa. *Journal of Wildlife Diseases*, 11: 68 – 75.

Burridge, M.J., Young, A.S., Stagg, D.A., Kanhai, G.K. & Kimber, C.D. (1974). *Theileria lawrencei* infection of cattle and African buffalo: evaluation of a buffalo cell culture schizont antigen for the indirect fluorescent antibody test. *Research in Veterinary Science*, 17: 285 – 289.

Burt, F.J., Swanepoel, R. & Braack, L. (1993). Enzyme-linked immunosorbent assays for the detection of antibody to Crimean-Congo haemorrhagic fever virus in the sera of livestock and wild vertebrates. *Epidemiology and Infection*, 111: 547 – 557.

Buttiker, W. (1972). Preliminary observations on eye-frequenting moths in the Democratic Republic of Zaire. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft*, 45: 31 – 34.

Butynski, T.M., Schaaf, C.D. & Hearn, G.W. (1997). African buffalo *Syncerus caffer* extirpated on Bioko Island, Equatorial Guinea. *J. Afr. Zool.*, 111: 57 – 61.

Carmichael, I.H. (1976). Ticks from the African buffalo (*Syncerus caffer*) in Ngamiland, Botswana. *Onderstepoort Journal of Veterinary Research*, 43: 27 – 29.

Carmichael, I.H. & Hobday, E. (1975). Blood parasites of some wild Bovidae in Botswana. *Onderstepoort Journal of Veterinary Research*, 42: 55 – 62. (*Anaplasma* sp; *Theileria* sp; *Trypanosoma* sp; Botswana)

Carmichael, I.H., Patterson, L., Dräger, N. & Breton, D.A. (1977). Studies on reproduction in the African buffalo (*Syncerus caffer*) in Botswana. *South African Journal of Wildlife Research*, 7: 45 – 52.

Carmichael, J. (1938). Rinderpest in African game. *Journal of Comparative Pathology*, 51: 264 – 268.

Caron, A., Cross, P.C. & du Toit, J.T. (2003). Ecological implications of bovine tuberculosis in African buffalo herds. *Ecol. Applic.*, 13: 1338 - 1345 (Body condition; Endoparasites; Kruger NP; South Africa; TB)

Caron, A., Cornelis, D., Foggin, C., Hofmeyr, M. & De Garine-Wichatitsky, M. (2016). African buffalo movement and zoonotic disease risk across transfrontier conservation areas, southern Africa. *Emerging Infectious Diseases* 22(2): 277 – 280.
<https://doi.org/10.3201/eid2202.140864>

Carruthers, J. (1995). *The Kruger National Park: A social and political history*. Pietermaritzburg: University of Natal Press.

Cauvin, E., Conti, A. & Liberatori, J. (1977). Comparative structural studies on beta-lactoglobulins. The N-terminal sequence of sheep, goat and buffalo beta-lactoglobulins. *Milchwissenschaft*, 32: 459 – 460.

- Cele, N. (2019). Spatial behaviour of reintroduced male buffalo and their response to predators. M.Sc. thesis, University of the Witwatersrand School of Geography, Archaeology & Environmental Studies.
- Cilliers, S. (1999). Lion versus buffalo! *Afr. Wildl.*, 53: 20 – 21.
- Clarke, J.E. (1964). Game elimination as a means of tsetse control with special reference to host preferences. *Puku*, 2: 67 – 75.
- Chaisi, M.E., Sibeko, K.P., Collins, N.E., Potgieter, F.T. & Oosthuizen, M.C. (2011). Veterinary parasitology identification of *Theileria parva* and *Theileria* sp (buffalo) 18S rRNA gene sequence variants in the African buffalo (*Syncerus caffer*) in southern Africa. *Veterinary Parasitology*, 182(2–4): 150 – 162. <https://doi.org/10.1016/j.vetpar.2011.05.041>
- Chamberlan, C., Marechal, C. & Maurois, C. (1998). [Estimation of the forest buffalo *Syncerus caffer nanus* population Odzala National Park, Republic of the Congo] (French). *Cahiers d'Ethologie*, 18: 295 – 298.
- Chaparro, F., Lawrence, J., Bengis, R.G. & Myburgh, J.G. (1990). A serological survey for brucellosis in buffalo (*Syncerus caffer*) in the Kruger National Park. *Journal of the South African Veterinary Association*, 61: 110 – 111.
- Chartier, C., Bain, O. & Nzeymana, S. (1988). Note on the existence of *Elaeophora poeli* (Vryburg, 1879) Railliet et Henry, 1912 in. *Annales de la Societe Belge de Medecine Tropicale* 68: 353 – 356.
- Cheney, C., de Vos, V. & Wright, P.G. (1982). Development of field therapy against overdosage with succinylcholine. *South African Journal of Science*, 78: 90.
- Cheney, C.S. (1981). *Succinylcholine euthanasia of buffalo with specific reference to physiological responses*. BSc Hons thesis, University of Witwatersrand.
- Child, B. (1984). An outline of the wildlife resources on alienated land. In: *Recreational hunting on state lands in Zimbabwe: Options for the future*. Proceedings of a workshop held at the 13th Ecologists Meeting, Hwange Safari Lodge, 12 - 13 June 1984.
- Child, B. (1993). Zimbabwe's CAMPFIRE programme: using the high value of wildlife recreation to revolutionize natural resource management in communal areas. *Commonwealth Forestry Review*, 72: 284 – 296.
- Child, B. & Savory, C.R. (1964). The distribution of large mammal species in Southern Rhodesia. *Arnoldia, Rhodesia*, 1: 1 – 15.

- Chilonda, P., Woodford, J.D., Ahmadu, B., Samui, K.L., Syakalima, M. & Mlangwa, J.E.D. (1999). Foot and mouth disease in Zambia: a review of the aetiology and epidemiology and recommendations for possible control. *Rev. sci. Techn., Off. int. Epizoot.*, 18: 585 – 592.
- Chilvers, B. (1992). Buffalo in South Africa to cull or not cull? *African Wildlife*, 46: 12 – 15.
- Chmelik, S.H.W. & Ley, H. (1977). Composition of adrenal lipids from some domestic and wild ruminants. *Comparative Biochemistry and Physiology B: Comparative Biochemistry*, 56B: 267 – 270.
- Christy, C. (1929). The African buffaloes. *Proceedings of the Zoological Society, London*. 30: 445 – 462.
- Churcher, C.S. (1983). The origin of the African buffalo, *Syncerus caffer*, and the fossil buffaloes of Africa. In: Mloszewski, M.J. (Ed.) *The behaviour and ecology of the African buffalo*. Cambridge University Press. pp 15 – 21.
- Cilli, V. & Castrucci, G. (1976). Infection of cattle with bovid herpesvirus 2. *Folia Veterinaria Latina*, 6: 1 – 44.
- Clift, S.J., Collins, N.E., Oosthuizen, M.C., Steyl, J.C.A., Lawrence, J.A. & Mitchell, E.P. (2020). The pathology of pathogenic theileriosis in African wild artiodactyls.’ *Veterinary Pathology*, 57(1): 24 – 48. <https://doi.org/10.1177/0300985819879443>
- Coe, M.J., Cumming, D.H.M. & Phillipson, J. (1976). Biomass and production of large African herbivores in relation to rainfall and primary production. *Oecologia*, 22: 341 – 354.
- Coetsee, A.M. & Taylor, R.D. (1978). Hand capture of buffalo calves for research purposes. *South African Journal of Wildlife Research*, 8: 173 – 174.
- Colbo, M.H. (1973). Ticks of Zambian wild animals: a preliminary checklist. *Puku*, 7: 97 – 105.
- Collins, N. & Allsop, B.A. (1991). Probes to distinguish between the causative agents of East Coast fever and Corridor disease. *Newsletter of the Veterinary Research Institute, Onderstepoort*. 9: 6 – 7.
- Condy, J.B. (1964). The capture of black rhinoceros (*Diceros bicornis*) and buffalo (*Syncerus caffer*) on lake Kariba. *Rhodesian Journal of Agricultural Research*, 2: 31 – 34.
- Condy, J.B. (1979). A history of foot and mouth disease in Rhodesia. *Rhodesian Veterinary Journal*, 10: 2 – 10.
- Condy, J.B. (1980). Buffalo trained to the yoke: an answer to the fuel and food crisis. *Zimbabwe Wildlife*, 22:7.

Condy, J.B. (1983). The effects of parvaquone on the carrier state of *Theileria parva lawrencei* in African buffalo (*Syncerus caffer*). *Zimbabwe Veterinary Journal* 14:41

Condy, J.B. (1987). Practical aspects in the handling of African buffalo (*Syncerus caffer*). *Journal of the South African Veterinary Association*, 58: 158 – 159.

Condy, J.B. & Hedger, R.S. (1974). The survival of foot-and-mouth disease virus in African buffalo with non-transference of infection to domestic cattle. *Research in Veterinary Science*, 16: 182 – 185.

Condy, J.B. & Hedger, R.S. (1978). Experiences in the establishment of a herd of foot-and-mouth disease free African buffalo. *South African Journal of Wildlife Research*, 8: 87 – 89.

Condy, J.B., Hedger, R.S., Hamblin, C. & Barnett, I.T. (1985). The duration of the foot and mouth disease virus carrier state in African buffalo (i) in the individual animal and (ii) in a free-living herd. *Comparative Immunology, Microbiology and Infectious Diseases*, 8: 259 – 265.

Condy, J.B. & Vickers, D.B. (1972). Brucellosis in Rhodesian wildlife. *Journal of the South African Veterinary Medical Association*, 43: 175 – 179.

Condy, J.B. & Vickers, D.B. (1976). Brucellosis in buffalo (*Syncerus caffer*) in Wankie National Park. *Rhodesian Veterinary Journal*, 7: 58 – 60.

Condy, J.B. & Hedger, R.S. (1978) Experiences in the establishment of a herd of foot-and-mouth disease free African buffalo. *S. Afr. J. Wildl. Res.*, 8: 87 – 89.

Connor, R.J. (1994). African animal trypanosomiasis. In: Coetzer, J.A.W., Thomson, G.R. & Tustin, R.C. (Eds) *Infectious diseases of livestock with special reference to Southern Africa*. Cape Town: Oxford University Press. pp 167 – 205.

Conrad, P.A., Ole-Moiyoi, O.K., Baldwin, C.L., Dolan, T.T., O'Callaghan, C.J., Njamunggeh R.E.G, Grootenhuis, J.G., Stagg, D.A., Leitch, B.L. & Young, A.S. (1989). Characterization of buffalo-derived theilerial parasites with monoclonal antibodies and DNA probes. *Parasitology*, 98: 179 – 188.

Conrad, P.A., Stagg, D.A., Grootenhuis, J.G., Irvin, A.D., Newson, J., Njamunggeh, R.E.G., Rossiter, P.B. & Young, A.S. (1987). Isolation of *Theileria* parasites from African buffalo (*Syncerus caffer*) and characterization with anti-schizont monoclonal antibodies. *Parasitology*, 94: 413 – 423.

Cossaboom, C.M., Khaiseb, S., Haufiku, B., Katjiuanjo, P., Kannyinga, A., Mbai, K. *et al.*

- (2019). Anthrax epizootic in wildlife, Bwabwata National Park, Namibia. *Emerging Infectious Diseases*, 25(5), 947 – 950. <https://doi.org/10.3201/eid2505.180867>
- Conybeare, A. (1980). Buffalo numbers, home range and daily movement in the Sengwa Research Area, Zimbabwe. *South African Journal of Wildlife Research*, 10: 89 – 93.
- Cooper, A.C.D. (1972). Some haematological values in five species of game. *Journal of the South African Veterinary Medical Association*, 43: 169 – 174.
- Cooper, A.C.D. & Carmichael, I.H. (1974). The incidence of brucellosis in game in Botswana. *Bulletin of Epizootic Diseases of Africa*, 22: 119 – 124.
- Cooper, A.C.D., Stuttaford, G.M. & Carmichael, I.H. (1975). Studies on the serum proteins of game animals in Botswana. *East African Wildlife Journal*, 13: 145 – 148.
- Cornelis, D., Benhamou, S., Janeau, G., Morellet, N., Ouedraogo, M. & Visscher, M.-N. (2011). Spatiotemporal dynamics of forage and water resources shape space use of West African savanna buffaloes. *Journal of Mammalogy*, 92(6): 1287 – 1297.
- Crawford, M.A. (1968). Nitrogen utilization by the Cape buffalo (*Syncerus caffer*) and other large mammals. *Symposium of the Zoological Society of London*, 21: 367 – 379.
- Cronje, H.P., Reilly, B.K. & Macfadyen, I.D. (2002). Natural mortality among four common ungulate species on Letaba Ranch, Limpopo Province, South Africa. *Koedoe*, 45(1): 79 – 86.
- Cross, P.C., Lloyd-Smith, J.O., Bowers, J.A., Hay, C.T., Hofmeyr, M. & Getz, W.M. (2004). Integrating association data and disease dynamics in a social ungulate: bovine tuberculosis in African buffalo in the Kruger National Park. *Ann. Zool. Fennici*, 41: 879 – 892.
- Cross, P.C., Lloyd-Smith, J.O. & Getz, W.M. (2005). Disentangling association patterns in fission-fusion societies using African buffalo as an example. *Anim. Behav.*, 69: 499 – 506.
- Cross, P.C., Heisey, D.M., Bowers, J.A., *et al.* (2009). Disease, predation and demography: assessing the impacts of bovine tuberculosis on African buffalo by monitoring at individual and population levels. *Journal of Applied Ecology*, 46: 467 – 475.
- Cribiu, E.P. & Popescu, C.P. (1980). Chromosome constitution of a hybrid between East African buffalo (*Syncerus caffer caffer*) and dwarf forest buffalo (*Syncerus caffer nanus*). *Annales de Genetique et de Selection Animale*, 12: 291 – 293.
- Cumming, D.H.M. (1981). The management of elephant and other large mammals in Zimbabwe. In: Jewell, P.A. & Holt, S. (Eds) *Problems in management of locally abundant wild mammals*. New York: Academic Press.

Cumming, D.H.M. (1982). The influence of large mammals on savanna structure in Africa. In: Huntley, B.J. & Walker, B.H. (Eds) *Ecology of tropical savannas*. Berlin: Springer-Verlag.

Cumming, D.H.M. (1989). Commercial and safari hunting in Zimbabwe. In: Hudson, R.J., Drew, K.R. & Baskin, L.M. (Eds) *Wildlife Production Systems: Economic Utilization of wild ungulates*. Cambridge: Cambridge University Press.

Cumming, D.H.M. (1991). Developments in game ranching and wildlife utilization in East and southern Africa. In: Renecker, L.A. & Hudson, R.J. (Eds) *Wildlife Production: conservation and sustainable development*. Fairbanks: University of Alaska.

Cumming, D.H.M. (1991). Wildlife products and the market place: A view from Southern Africa. In: Renecker, L.A. & Hudson, R.J. (Eds) *Wildlife production: conservation and sustainable development*. Fairbanks: University of Alaska.

Cumming, D.H.M. & Bond, I. (1991). Animal production in Southern Africa: Present practice and opportunities for peasant farmers in arid lands. *Report. WWF Multispecies Animal Production Systems Project Paper 22*.

Dale, J. (1992). The effect of the removal of buffalo *Syncerus caffer* (Sparrman 1779) on the host selection of yellow-billed oxpeckers *Buphagus africanus* Linnaeus 1766 in Zimbabwe. *Tropical Zoology*, 5: 19 – 23.

Dalimier, P. (1955). *Les Buffles du Congo*. Bruxelles: Institut des Parc Nationaux du Congo Belge.

Dasmann, R.F. & Mossman, A.S. (1962). Reproduction in some ungulates in Southern Rhodesia. *Journal of Mammalogy*, 43: 533 – 537.

Davidson, F.L., Crowther, J.R., Nqindi, J., Knowles, N.J., Thevasagalam, S.J. & van Vuuren, C.J. (1995). Antigenic analysis of SAT-2 serotype foot-and-mouth disease virus isolates from Zimbabwe using monoclonal antibodies. *Epidemiol. Inf.*, 115: 193 – 205.

Davies, F.G. (1981). Experimental infection of the African buffalo with *Cytoecetes ondiri*. *Tropical Animal Health and Production*, 13: 165.

Davies, F.G. (1982). Observations on the epidemiology of lumpy skin disease in Kenya. *Journal of Hygiene*, 88: 95 – 102.

Davies, F.G. & Karstad, L. (1981). Experimental infection of the African buffalo with the virus of Rift Valley fever. *Tropical Animal Health and Production*, 13: 185 – 188.

Davies, F.G., Shaw, T. & Ochieng, P. (1975). Observations on the epidemiology of ephemeral fever in Kenya. *Journal of Hygiene*, 75: 231 – 235.

Davis, C.E. (1982). Thrombocytopenia: a uniform complication of African trypanosomiasis. *Acta Tropica*, 39: 123 – 133.

Davis, D.S. (1990). Brucellosis in wildlife. In: Nielsen, K.J.R. & Duncan, J.R. (Eds) *Animal brucellosis*. Boca Raton, Florida: CRC Press. pp 321 – 334.

Dawe, .PS, Flanagan, F.O., Madekurozwa, R.L., Sorensen, K.J., Anderson, E.A., Foggin, CM., Ferris, N.P. & Knowles, N.J. (1994). Natural transmission of foot-and-mouth disease virus from African buffalo (*Syncerus caffer*) to cattle in a wildlife area of Zimbabwe. *Veterinary Record*, 134: 230 – 232.

Dawe, P.S., Sorensen, K., Ferris, N.P., Barnett, I.T.R., Armstrong, R.M. & Knowles, N.J. (1994). Experimental transmission of foot-and-mouth disease virus from carrier African buffalo (*Syncerus caffer*) to cattle in Zimbabwe. *Veterinary Record*, 134: 211 – 215.

Day D. (1969). Killing of a lioness by buffalo. *Puku*, 5:219.

De Boer, W.F. & Prins, H.H.T. (1990). Large herbivores that strive mightily but eat and drink as friends. *Oecologia*, 82: 264 – 274.

Deem, S.L., Maisels, F. & Robbins, R.G. (2005). Necropsy and parasitic findings from an adult forest buffalo (*Syncerus caffer nanus*) found dead in the Republic of Congo. *Eur. J. Wildl. Res.*, 51: 60 – 62.

De Graaff, G. (1987). *Animals of the Kruger National Park*. Cape Town: Struik.

De Graaff, G, Schulz, K.C.A. & Van der Walt, P.T. (1973). Notes on rumen contents of Cape buffalo *Syncerus caffer* in the Addo Elephant National Park. *Koedoe*, 16: 45 – 58.

De la Bat B. (1976). Endangered species of South West Africa. In: *Proceedings: Symposium on Endangered Species of Southern Africa*. Johannesburg: Endangered Wildlife Trust. pp 24 – 26.

De Lisle, G.W., MaCkintosh, C.G. & Bengis, R.G. (2001). *Mycobacterium bovis* in free-living and captive wildlife, including farmed deer. *Rev. sci. Techn., Off. int. Epizoot.*, 20: 86 – 111.

De Mazancourt, C., Loreau, M. & Abbadie, L. (1999). Grazing optimization and nutrient cycling: potential impact of large herbivores in a savanna system. *Ecol. Applic.*,9: 784 – 797.

De Vos, A.J. & Roos, J.A. (1981). Observations on the transmission of *Theileria mutans* in South Africa. *Onderstepoort Journal of Veterinary Research*, 48: 1 – 6.

De Vos, V. (1978). Immobilisation of free-ranging wild animals using a new drug. *Veterinary*

Record, 103: 64 – 68.

De Vos, V. (1982). Gross horn malformation in an African buffalo (*Syncerus caffer*). *Journal of the South African Veterinary Association*, 53: 63 – 64.

De Vos, V. (1987). The status and distribution of the buffalo (*Syncerus caffer*) in South Africa. *Journal of the South African Veterinary Association*, 58: 157.

De Vos, V. (1987). Remote chemical immobilization of African buffalo (*Syncerus caffer*). *Journal of the South African Veterinary Association*, 58: 157.

De Vos, V. (1990). The ecology of anthrax in the Kruger National Park, South Africa. *Salisbury Medical Bulletin Special supplement*, 68: 19 – 23.

De Vos, V. (1994). Anthrax. In: Coetzer, J.A.W., Thomson, G.R. & Tustin, R.C. (Eds) *Infectious diseases of livestock with special reference to Southern Africa*. Cape Town: Oxford University Press. pp 1262 – 1289.

De Vos, V. & Bengis, R.G. (1994). The disease status of African buffalo (*Syncerus caffer*) in South Africa. In: *Wildlife ranching: a celebration of diversity. Proceedings of the third international wildlife ranching symposium, October 1992*. Pretoria: Promedia.

De Vos, V., Bengis, R.G. & Coetzee, H.J. (1983). Population control of large mammals in the Kruger National Park. In: Owen-Smith, R.N. (Ed.) *Management of large mammals in African conservation areas*. Pretoria: HAUM. pp 213 – 232.

De Vos, V. & Bryden, H. (1996). Anthrax in the Kruger National Park: temporal and spatial patterns of disease occurrence. *Salisbury Medical Bulletin Special supplement*, 87: 26 – 29.

De Vos, V. & Scheepers, G. (1993). Anthrax - outbreak and aerial vaccination. [Abstract] In: *Proceedings of an International Symposium on Capture, Care and Management of Threatened Mammals, Skukuza, Kruger National Park, South Africa, September 1993*. Onderstepoort: Wildlife Group of the South African Veterinary Association p. 83.

De Vos, V. & Van Niekerk, C.A.W.J. (1969). Brucellosis in the Kruger National Park. *Journal of the South African Veterinary Medical Association*, 40: 331 – 334.

De Vos, V., Bengis, R.G., Kriek, N.P.J., Michel, A., Keet, D.F., Raath, J.P. & Huchzermeyer H.F.K.A. (2001). The epidemiology of tuberculosis in free-ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa. *Onderstepoort J. Vet. Res.*, 68: 119 – 130.

Demment, W.W. (1982). The scaling of ruminoreticulum size with body weight in East African ungulates. *African Journal of Ecology*, 20: 43 – 47.

Densham, W.D. (1974). A method of capture and translocation of wild herbivores using opaque plastic material and a helicopter. *Lammergeyer*, 21: 1 – 25.

Digoutte, J.P., Cordellier, R., Robin, Y., Pajot, F.X. & Geoffroy, B. (1974). Zinga virus (Ar B 1976), a new arbovirus isolated in the Central African Republic. *Annales de Microbiologie, B* 125: 107 – 118.

Dinnik, J.A., Walker, J.B., Barnett, S.F. & Brocklesby, D.W. (1963). Some parasites obtained from game animals in western Uganda. *Bulletin of Epizootic Diseases of Africa*, 11: 37 – 44. (Uganda; *Theileria* spp)

Dirie, M., Bornstein, S., Wallbanks, K., Stiles, J. & Molyneux, D. (1990). Zymogram and life-history studies on trypanosomes of the subgenus *Megatrypanum*. *Parasitology Research* 76: 669 – 674.

Donaldson, A.I. (1986). Aerobiology of foot-and-mouth disease (FMD): an outline and recent advances. *Revue Scientifique et Technique Office International des Epizooties*, 5: 315 – 321.

Dräger, N. (1974). Immobilisation of African buffalo during a campaign for control of foot and mouth. *Berliner und Münchener Tierärztliche Wochenschrift*, 87: 328 – 330.

Dräger, N. (1978). Letter to the editor [*Brucella abortus* hygroma in African buffalo]. *Rhodesian Veterinary Journal*, 9: 49.

Dräger, N. & Mehltitz, D. (1978). Investigations on the prevalence of trypanosome carriers and the antibody response in wildlife in northern Botswana. *Tropenmedizin und Parasitologie*, 29: 223 – 233.

Dräger, N. & Paine, G.D. (1980). Demodicosis in African buffalo (*Syncerus caffer caffer*) in Botswana. *Journal of Wildlife Diseases*, 16: 521 – 524.

Dräger, N., Patterson, L. & Breton, D.A. (1976). Immobilization of African buffaloes (*Syncerus caffer caffer*) in large numbers for veterinary research. *East African Wildlife Journal*, 14: 113 – 120.

Drake, J.M. (2005). Risk analysis for invasive species and emerging infectious diseases: Concepts and applications. *Am. Midl. Nat.* 153: 4 – 19.

Drent, R.H. & Prins, H.H.T. (1987). The herbivore as prisoner of its food supply. In: Van Andel, J., Bakker JP, & Snaydon RW. (Eds) *Disturbance in grasslands: species and population responses*. Dordrecht: Dr W Junk. pp 133 – 149.

Drevemos, Grootenhuis, J.G. & Karstad, L. (1974). Blood parameters in wild ruminants in Kenya. *Journal of Wildlife Diseases*, 10: 327 – 334.

- Dubey, J.P., Lane, E.P., Van Wilpe, E., Suleman, E., Reininghaus, B., Verma, S.K. *et al.* (2014). *Sarcocystis cafferi* n. sp. (Protozoa: Apicomplexa) from the African buffalo (*Syncerus caffer*). *Journal of Parasitology*, 100(6): 817 – 827. <https://doi.org/10.1645/13-467.1>
- Dublin, H.T., Sinclair, A.R.E., Boutin, S., Anderson, E., Jago, M. & Arcese, P. (1990). Does competition regulate ungulate populations? Further evidence from Serengeti, Tanzania. *Oecologia*, 82: 283 – 288.
- Dubost, G. (1979). The size of African forest artiodactyls as determined by the vegetation structure. *African Journal of Ecology*, 17: 1 – 17.
- Duncan, I.M. & Monks, N. (1992). Tick control on eland (*Taurotragus oryx*) and buffalo (*Syncerus caffer*) with flumethrin 1% pour-on through a Duncan Applicator. *Journal of the South African Veterinary Association*, 63: 7 – 10.
- Dunham, K.M. (1994). The effect of drought on the large mammal populations of Zambezi riverine woodlands. *Journal of Zoology, London*, 234: 489 – 526.
- Du Plessis, L., Botha, A.J. & Stevens, K. (1996). Ultrastructure of buffalo, *Syncerus caffer*, platelets: Comparisons with bovine and human platelets. *J. Morphol.*, 229: 309 – 314.
- Du Toit, J.G. (2005). Buffalo. In: Bothma, J. du P. & Van Rooyen, N. (Eds.). Intensive wildlife production. *Van Schaiks, Pretoria*.
- Du Toit, J.G. (2010). The African buffalo. In: Game Ranch Management, 6th Edition. Bothma, J. du P. & Du Toit, J.G. (Eds.). *Van Schaiks, Pretoria*.
- Du Toit, J.G. (2010). Preventative disease management. In: Game Ranch Management, 6th Edition. Bothma, J. du P. & Du Toit, J.G. (Eds.). *Van Schaiks, Pretoria*.
- Du Toit, J.G. & Penzhorn, B.L. & Van Heerden, J. (2010). Bacterial, viral and protozoal diseases. In: Game Ranch Management, 6th Edition. Bothma, J. du P. & Du Toit, J.G. (Eds.). *Van Schaiks, Pretoria*.
- Du Toit, J.G. & Van Rooyen, J. (2010). Catering for trophy hunters. In: Game Ranch Management, 6th Edition. Bothma, J. du P. & Du Toit, J.G. (Eds.). *Van Schaiks, Pretoria*.
- Du Toit, J.G. (2017). Jagstatus 'red' buffels van uitsterwing. Deel 1 reeks. *Landbouweekblad*, 7 April: pp. 48 – 50.
- Du Toit, J.G. (2017). So oorkom buffelbedryf struikelblokke. Deel 2 reeks. *Landbouweekblad*, 14 April: pp. 54 – 55.

Du Toit, J.G. (2017). Selekteer hiervoor. Deel 3 reeks.
Landbouweekblad, 28 April: pp. 53 – 54.

Du Toit, J.G. (2017). Regte teelmetode vir eenvormige buffels. Deel 4 reeks.
Landbouweekblad, : pp. 56 – 57.

Du Toit, J.G. (2017). Toets teken aan en teel suksesvol. Deel 5 reeks.
Landbouweekblad, : pp. 58 – 59.

Dwinger, R.H., Grootenhuis, J.G., Murray, M., Moolo, S.K. & Gettinby, G. (1986). Susceptibility of buffaloes, cattle and goats to infection with different stocks of *Trypanosoma vivax* transmitted by *Glossina morsitans centralis*. *Research in Veterinary Science*, 41: 307 – 315.

Dyce, A.L. & Marshall, B.D. (1989). An early record of *Culicoides* species (Diptera: Ceratopogonidae) development in the dung of game animals in Southern Africa. *Onderstepoort Journal of Veterinary Research*, 56: 85 – 86.

East, R. (1984). Rainfall, soil nutrient status and biomass of large African savanna mammals. *African Journal of Ecology*, 22: 245 – 270.

East, R. (1999). African Antelope Database (1998). IUCN/SSC Antelope Specialist Group Gland, Switzerland and Cambridge, UK: IUCN.

Ebedes, H. (1996). Diseased buffalo: the game rancher's problem. In: Penzhorn, B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 139 – 143.

Eberhardt, L.L. (1985). Assessing the dynamics of wild populations. *Journal of Wildlife Management*, 49: 997 – 1012.

Eltringham, S.K. (1974). The rescue of distressed large mammals in national parks using drug immobilisation. *East African Wildlife Journal*, 12: 233 – 238.

Eltringham, S.K. & Woodford, M.H. (1973). The numbers and distribution of buffalo in the Rwenzori National Park, Uganda. *East African Wildlife Journal*, 11: 151 – 164.

Enama, M.T. (1990). *Habitat selection by the African buffalo in Virunga National Park, Zaire*. PhD, University of Maine.

Epps, C.W., Castillo, J.A., Schmidt-Kuntzel, A., du Preez, P., Stuart-Hill, G., Jago, M. & Naidoo, R. (2013). Contrasting historical and recent gene flow among African buffalo herds in the Caprivi Strip of Namibia. *Journal of Heredity*, 104: 172 – 181.

Esser, J.D. (1980). Grouping pattern of ungulates in Benoue National Park and adjacent areas, Northern Cameroon. *Spixiana*, 3: 179 – 191.

Esterhuysen, J.J., Thomson, G.R., Flamand, J.R.B. & Bengis, R.G. (1985). Buffalo in the Northern Natal game parks show no serological evidence of infection with Foot and Mouth disease virus. *Onderstepoort Journal of Veterinary Research*, 52: 63 – 66.

Estes, R.D. (1974). Social organisation of the African Bovidae. In: Geist, V. & Walther, F.R. (Eds) The behaviour of ungulates and its relation to management. *IUCN Publications, New Series*, 24: 166 – 205.

Eygelaar, D., Jori, F., Mokopasetso, M., Sibeko, K.P., Collins, N.E., Vorster, I. *et al.* (2015). Tick-borne haemoparasites in African buffalo (*Syncerus caffer*) from two wildlife areas in Northern Botswana. *Parasites and Vectors*, 8, 26. <https://doi.org/10.1186/s13071-014-0627y>

Ezenwa, V. & Jolles, A. (2008). Horns honestly advertise parasite infection in male and female African buffalo. *Animal Behaviour*, 75: 2013 – 2021.

Fairall, N. (1968). The reproductive seasons of some mammals in the Kruger National Park. *Zoologica Africana*, 3: 199 – 210.

Fagbo, S., Coetzer, J.A.W. & Venter, E.H. (2014). Seroprevalence of Rift Valley fever and lumpy skin disease in African buffalo (*Syncerus caffer*) in the Kruger National Park and Hluhluwe-iMfolozi Park, South Africa. *Journal of the South African Veterinary Association*, 85(1), a1075. <https://doi.org/10.4102/jsava.v85i1.1075>

Falconer, J. & Child, G. (1975). A survey of foot-and-mouth disease in wildlife in Botswana. *Mammalia*, 39: 518 – 520.

Fay, H. & Doube, B. (1987). Aspects of the population dynamics of adults of *Haematobia thirouxi potans* (Bezzi). *Bulletin of Entomological Research*, 77: 135 – 144.

Ferreira, M.L. & Rosinha, A. (1986). Preliminary analysis of data from "Operation Buffalo" (*Syncerus caffer*) in Mozambique. *Repositorio de Trabalhos do Laboratorio Nacional de Investigacao Veterinaria*, 18: 85 – 100.

Ferreira, M.L.P., Petisca, J.L.N. & Jurasek, V. (1983). Some aspects of pathogenesis of *Elaeophora poeli* in buffaloes (*Syncerus caffer*) in Mozambique. *Repositorio de Trabalhos do Laboratorio Nacional de Investigacao Veterinaria*, 15: 11 – 16.

Ferris, N.P., Condy, J.B., Barnet, I.T.R. & Armstrong, R.M. (1989). Experimental infection of eland (*Taurotragus oryx*), sable antelope (*Ozanna grandicornis*) and buffalo (*Syncerus caffer*) with foot and mouth disease. *Journal of Comparative Pathology*, 101: 307 – 316.

Ferroglio, E., Wambwa, E., Castiello, M., Trisciuglio, A., Prouteau, A., Pradere, E., Ndungu, S. & De Meneghi D. (2003). Antibodies to *Neospora caninum* in wild animals from Kenya, East Africa. *Vet. Parasitol.*, 118: 43 – 49.

Field, C.R. (1968). A comparative study on the food habits of some wild ungulates in the Queen Elizabeth National Park, Uganda. *Symposium of the Zoological Society of London*, 21: 135 – 151.

Field, C.R. (1968). Methods of studying the food habits of some wild ungulates in Uganda. *Proceedings of the Nutrition Society*, 27: 172 – 177.

Field, C.R. (1972). The food habits of wild ungulates in Uganda by analyses of stomach contents. *East African Wildlife Journal*, 10: 17 – 42.

Field, C.R. (1975). Climate and the food habits of ungulates on Galana ranch. *East African Wildlife Journal*, 13: 203 – 220.

Field, C.R. (1976). Palatability factors and nutritive values of the food of buffaloes (*Syncerus caffer*) in Uganda. *East African Wildlife Journal*, 14: 181 – 201.

Field, C.R., Harrington, G.N. & Pratchett, D. (1973). A comparison of the grazing preferences of buffalo (*Syncerus caffer*) and Ankole cattle (*Bos indicus*) on three different pastures. *East African Wildlife Journal*, 11: 19 – 29.

Field, C.R. & Laws, R.M. (1970). The distribution of the larger herbivores in the Queen Elizabeth National Park, Uganda. *Journal of Applied Ecology*, 7:273 – 294.

Fitzgibbon, C.D., Mogaka, H. & Fanshawe, J.H. (1995). Subsistence hunting in Arabuko-Sokoke Forest, Kenya, and its effects on mammal populations. *Conservation Biology*, 9: 1116 – 1126.

Foggin, C.M. & Taylor, R.D. (1996). Management and utilization of the African buffalo in Zimbabwe. In: Penzhorn, B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 144 – 162.

Formenty, P., Domenech, J., Lauginie, F., Ouattara, M., Diawara, S., Raath, J.P., Grobler, D., Leforban, Y. & Angba, A. (1994). Epidemiological study of bluetongue in sheep, cattle and various wild animal species in the Cote d'Ivoire. *Revue Scientifique et Technique Office International des Epizooties*, 13: 737 – 751.

Friedmann, Y., Lubbe, K., Kilian, I., Grobler, D.G. & Denniston, R.S. (2000). Changes in motility and morphological characteristics of African buffalo (*Syncerus caffer*) sperm during

storage of the epididymis (abstr.). *Theriogenology*, 53:332.

Funston, P.J., Mills, M.G.L. & Biggs, H.C. (2001). Factors affecting the hunting success of male and female lions in the Kruger National Park. *J. Zool., Lond.*, 253: 419 – 431.

Funston, P.J., Mills, M.G.L., Biggs, H.C. & Richardson, P.R.K. (1998). Hunting by male lions: Ecological influences and socioecological implications. *Anim. Behav.*, 56: 1333 – 1345.

Funston, P.J., Mills, M.G.L., Richardson, P.R.K. & van Jaarsveld, A.S. (2003). Reduced dispersal and opportunistic territory acquisition in male lions (*Panthera leo*), *J. Zool., Lond.* 259: 131 – 142.

Foster, J.B. & Coe, M.J. (1968). The biomass of game animals in Nairobi National Park, 1960-1966. *Journal of Zoology, London*. 155: 413 – 425.

Fowler, M.E. (1985). Livestock diseases caused by wildlife. In: Gaafar, S.M., Howard, W.E. & Marsh, R.E. (Eds) *Parasites, pests and predators*. Amsterdam: Elsevier. pp 509 – 535.

Funston, P.J. (1992). *Movements, habitat selection and population structure of buffalo (Syncerus caffer caffer Sparrman) in the Sabi Sand Wildtuin*. M.Sc. thesis, University of Pretoria.

Funston, P.J., Skinner, J.D. & Dott, H.M. (1994). Seasonal variation in movement patterns, home range and habitat selection of buffaloes. *African Journal of Ecology*, 32: 100 – 114.

Gainaru, M.D., Thomson, G.R., Bengis, R.G., Esterhuysen, J.J., Bruce, W. & Pini, A. (1986). Foot and mouth disease and the African buffalo (*Syncerus caffer*). II. Virus excretion and transmission during acute infection. *Onderstepoort Journal of Veterinary Research*, 53: 75 – 85.

Gallagher, D.S., Davis, S.K., de Donato, M., Burzlaff, J.D., Womack, J.E., Taylor, J.F. & Kumamoto, A.T. (1999). A molecular cytogenetic analysis of the tribe Bovini (Artiodactyla: Bovidae: Bovinae) with an emphasis on sex chromosome morphology and nor distribution. *Chromosome Res.*, 7: 481 – 492.

Gandy, S.E. & Reilly, B.K. (2004). Alternative trophy measuring techniques for African buffalo. *Koedoe*, 47(1): 119 – 124.

Ganhao, C.S., Cheney, C. & de Vos, V. (1983). Concentration and composition of plasma proteins in wild animals. *Comparative Biochemistry and Physiology*, 75: 441 – 445.

Ganhao, M.F., Hattingh, J., Braack, L.E.O., Raath, J.P. & Pitts, N.I. (1989). Blood composition of wild animals during immobilization. *South African Journal of Science*, 85: 281 – 282.

Gcebe, N., Rutten, V., Gey van Pittius, N.C. & Michel, A. (2013). Prevalence and

distribution of non-tuberculous mycobacteria (NTM) in cattle, African buffaloes (*Syncerus caffer*) and their environments in South Africa. *Transboundary and Emerging Diseases*, 60(S1):74 – 84. <https://doi.org/10.1111/tbed.12133>

Gentry, A.W. (1990). Evolution and dispersal of African bovidae. In: Bubenik, G.A. & Bubenik, A.B.(Eds) *Horns, Pronghorns and antlers: evolution, morphology, physiology and social significance*. New York: Springer-Verlag. pp 195 – 227.

Georgiadis, N. & Dunham, P.B. (1990). The HK/LK polymorphism of erythrocyte cation content in two wild species of East African bovids: demonstrated in wildebeest but not in African buffalo. *Animal Genetics*, 21: 199 – 205.

Georgiadis, N.J., Kat, P.W. & Oketch, H. (1990). Allozyme divergence within the Bovidae. *Evolution*, 44: 2135 -2149

Gerber, D., Arlotto, T. & Cooper, D. (2000). A new disposable needle guide system for transvaginal oocyte recovery in domestic cows and African buffalo (abstr.). *Theriogenology*, 53: 333.

Gerber, D., Irons, P.C., Arlotto, A. & Cooper, D. (2001). Quality and freezability of epididymal semen from African buffalo (*Syncerus caffer*) under field conditions (abstr.) *Theriogenology*, 55: 384.

Gibbons, J.R., Schwalbach, L.M.S., Theron, O., Beck, K.H. & Krisher, R.L. (2001). Post thaw characteristics of Cape buffalo (*Syncerus caffer*) semen frozen with different extenders (abstr.). *Theriogenology*, 55:385.

Giesecke, D. & van Gylswyk, N.O. (1975). A study of feeding types and certain rumen functions in six species of South African wild ruminants. *Journal of Agricultural Science, Cambridge*, 854: 75 – 83.

Gilfillan, N.H. (1966). Our National Parks. *African Wildlife*, 20: 181 – 190.

Gilfillan, R.N.H. (1963). Our National Parks. *African Wildlife*, 17: 181 – 190.

Gordon, D.H., Isaacson, M. & Taylor, P. (1979). Plague antibody in large African mammals. *Infection and Immunity*, 26: 767 – 769.

Gorsich, E.E., Ezenwa, V.O., Cross, P.C., Bengis, R.G. & Jolles, A.E. (2015). Context-dependent survival, fecundity and predicted population-level consequences of brucellosis in African buffalo. *Journal of Animal Ecology* 84:999-1009

Graber, M. (1974). *Cysticercus bovis* parasitizing wild ruminants in the Republic of Chad. *Bulletin of Epizootic Diseases of Africa*, 22: 345 – 348.

Graber, M. (1981). Internal parasites of domestic and wild vertebrates other than primates in the Congo (from the Cassard-Chambron collection 1956-1960). Pathogenicity, prophylaxis. *Revue d'Elevage et de Medecine Veterinaire des Pays Tropicaux*, 34: 155 – 167.

Graber, M., Euzeby, J., Gevrey, J & Troncy, P. (1972). *Mammomonogamus* species in domestic and wild ruminants. *Annales de Parasitologie Humaine et Comparee*, 47: 225 – 241.

Graber, M., Euzeby, J., Troncy, P. & Thal, J.A. (1972). Parasites of Central Africa discovered in the cardiovascular system of the African buffalo. *Revue d'Elevage et de Medecine Veterinaire des Pays Tropicaux*, 25: 219 – 243.

Graber, M., Euzeby, J., Troncy, P. & Thal, J.A. (1973). Lungworms from Central African antelopes. *Revue d'Elevage et de Medecine Veterinaire des Pays Tropicaux*, 26: 313 – 321.

Graber, M. & Thal, J.A. (1979). Liver flukes from various wild ruminants in Central African Republic. *Revue d'Elevage et de Medecine Veterinaire des Pays Tropicaux*, 32: 361 – 378.

Graber, M. & Thal, J.A. (1980). Paramphistomatoidea (Trematoda) of various wild animals in Chad, North Cameroon and Central African Republic. *Bulletin de l'Institut Fondamental d'Afrique Noire, A Sciences Naturelles*, 42(2): 261 – 279.

Graber, M. & Thal, J.A. (1980). Echinococcosis in wild Artiodactyla from the Central African Republic: probable existence of a lion-warthog cycle. *Revue d'Elevage et de Medecine Veterinaire des Pays Tropicaux*, 33: 51 – 59.

Graber, M., Troncy, P.M. & Thal, J.A. (1973). Muscular cysticerciasis of Central African wild ruminants. *Revue d'Elevage et de Medecine Veterinaire des Pays Tropicaux*, 26: 203 – 220.

Gradwell, D. (1979). Bek-en-Klouseer maak swart skape van rooibokke en ander wild. *Fauna and Flora*, Pretoria. 35: 16 – 17.

Gradwell, D.V., Niekerk, C.A.W.J. & Joubert, D.C. (1976). Attempted artificial infection of impala, blue wildebeest, buffalo, kudu, giraffe and warthog with heartwater. *Journal of the South African Veterinary Association*, 47: 209 – 210.

Gradwell, D.V., Schutte, A.P., van Niekerk, C.A.W.J. & Roux, D.J. (1977). The isolation of *Brucella abortus* biotype I from African buffalo in the Kruger National Park. *Journal of the South African Veterinary Association*, 48: 41 – 43.

Graham-Jones, O. (1964). Restraint and anaesthesia of some captive wild mammals. *Veterinary Record*, 76: 1216 – 1228.

Grange, S., Duncan, P., Gaillard, J-M., Sinclair, A.R.E., Gogan, P.J.P., Packer, C., Hofer, H. &

- East, M. (2004). What limits the Serengeti zebra population? *Oecologia*, 140: 523 – 532.
- Grant, C.C., Meissner, H.H. & Schultheiss, W.A. (1995). The nutritive value of veld as indicated by faecal phosphorus and nitrogen and its relation to the condition and movement of prominent ruminants during the 1992-1993 drought in the Kruger National Park. *Koedoe*, 38: 17 – 31.
- Grimsdell, J.J.R. (1969). *The ecology of the buffalo, Syncerus caffer, in western Uganda*. PhD dissertation, Cambridge University.
- Grimsdell, J.J.R. (1973). Reproduction in the African buffalo, *Syncerus caffer*, in western Uganda. *Journal of Reproduction and Fertility Supplement*, 19: 301 – 306.
- Grimsdell, J.J.R. (1973). Age determination of the African buffalo, *Syncerus caffer*. *East African Wildlife Journal*, 11: 31 – 53.
- Grimsdell, J.J.R. & Field, C.R. (1976). Grazing patterns of buffaloes in the Rwenzori National Park, Uganda. *East African Wildlife Journal*, 14: 339 – 344.
- Grobler, D.G. (1996). The potential utilization of the African buffalo with regard to hunting and meat production. In: Penzhorn, B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 37 – 42.
- Grobler, J.H. & Jones, M.A. (1980). Population statistics and carrying capacity of large ungulates in the Whovi Wild Area, Rhodes Matopos National Park, Zimbabwe Rhodesia. *South African Journal of Wildlife Research*, 10: 38 – 42.
- Grobler, D.G., Michel, A.L., de Klerk, L-M., Bengis, R.G. (2002). The gamma-interferon test: Its usefulness in a bovine tuberculosis survey in African buffaloes (*Syncerus caffer*) in the Kruger National Park. *Onderstepoort J. Vet. Res.*, 69: 221 – 227.
- Grobler, D.G. & Swan, G.E. (1999). Copper poisoning in the Kruger National Park: field investigation in wild ruminants. *Onderstepoort J. Vet. Res.* 66: 157 – 168.
- Grobler, J.P. & van der Bank, F.H. (1996). Genetic diversity and isolation in African buffalo (*Syncerus caffer*). *Biochem. System. Ecol.* 24: 757 – 761.
- Grocock, C.M. (1982). Theileriosis and prospects for immunization. In: *Proceedings of the 86th Annual Meeting of the United States Animal Health Association*. Nashville, Tennessee pp 202 – 206.
- Grootenhuis, J.G., Dwinger, R.H., Dolan, R.B., Moloo, S.K. & Murray, M. (1990). Susceptibility of African buffalo and Boran cattle to *Trypanosoma congolense* transmitted by

Glossina morsitans centralis. *Veterinary Parasitology*, 35:219 – 231.

Grootenhuis, J.G., Leitch, B.L., Stagg, D.A., Dolan, T.T. & Young, A.S. (1987). Experimental induction of *Theileria parva lawrencei* carrier state in an African buffalo (*Syncerus caffer*). *Parasitology*, 94: 425 – 431.

Grootenhuis, J.G., Varma, Y., Black, S.J., Moloo, S.K., Akol, G.W.O., Emery, D.L. & Murray, M. (1982). Host response of some African wild Bovidae to experimental trypanosome infection. *Trypanotolerance and animal production*. Lome et Avetonou.

Grootenhuis, J.G. & Young, A.S. (1981). The importance of wildlife in the epidemiology of theileriosis. In: *Wildlife disease research and economic development*. Kabete, Kenya.

Grootenhuis, J.G., Young, A.S., Stagg, D.A., Leitch, B.L., Dolan, T.T. & Conrad, P.A. (1987). Infection of African buffalo (*Syncerus caffer*) and cattle with *Theileria parva lawrencei* after serial passage in cattle. *Research in Veterinary Science*, 42: 326 – 330.

Guedegbe, B., Verhulst, A., Meirvenne, N-V., Pandey, V. & Doko, A. (1992). Serological evidence of existence of wild animal reservoirs of *Trypanosoma brucei*. *Annales de la Societe Belge de Medecine Tropicale*, 72: 113 – 120.

Guilbride, P.D.L., Rollinson, D.H.L., Mcanulty, E.G., Alley, J.G. & Wells, E.A. (1963). Tuberculosis in the free living African (Cape) buffalo (*Syncerus caffer*). *Journal of Comparative Pathology*, 73: 337 – 348.

Guyaux, R. (1951). Gibier et Peste bovine. Cas de transmission de la peste bovine du buffle au betail bovin. *Bulletin Agricole du Congo Belge*, 42: 123 – 129.

Hadwen, S. (1942). Tuberculosis in buffalo. *Journal of the American Veterinary Medical Association*, 100: 19.

Haigh, J.C. (1976). Fentanyl based mixtures in exotic animal neuroleptanalgesia. In: *American Association of Zoo Veterinarians Annual Proceedings* pp 164 – 180.

Haigh, J.C. (1976). The immobilisation of bongo (*Boocercus eurycus*) and other African antelope in captivity. *Veterinary Record*, 98: 237 – 239.

Hall, M. (1977). Shakan pitfall traps: hunting technique in the Zulu kingdom. *Annals of the Natal Museum*, 23: 1 – 12.

Halley, D.J. & Mari, M. (2004). Dry season social affiliation of African buffalo bulls at the Chobe riverfront, Botswana. *S. Afr. J. Wildl. Res.*, 34: 105 – 111.

Halley, D.J. & Minagawa, M. (2005). African buffalo diet in a woodland and bush-dominated

biome as determined by stable isotope analysis. *Afr. Zool.*, 40: 160 – 163.

Halley, D.J. & Vandewalle, M., Mari, M. & Taolo, C. (2002). Herd switching and long-distance dispersal in female African buffalo *Syncerus caffer*. *Afr. J. Ecol.*, 40: 97 – 99.

Hamblin, C., Anderson, E.C., Jago, M., Mlengeya, T. & Hirji, K. (1990). Antibodies to some pathogenic agents in free-living wild species in Tanzania. *Epidemiology and Infection* 105: 585 – 594.

Hamblin, C. & Hedger, R.S. (1978). Neutralizing antibodies to parainfluenza 3 virus in African wildlife, with special reference to the Cape buffalo (*Syncerus caffer*). *Journal of Wildlife Diseases*, 14: 378 – 388.

Hamblin, C. & Hedger, R.S. (1982). Prevalence of neutralizing antibodies to bovid herpesvirus 2 in African wildlife. *Journal of Wildlife Diseases*, 18: 429 – 436.

Hamblin, C., Hedger, R.S. & Condy, J.B. (1980). The isolation of parainfluenza 3 virus from free-living African buffalo (*Syncerus caffer*). *Veterinary Record*, 107: 18.

Hamblin, C., Knowles, N.J. & Hedger, R.S. (1985). Isolation and identification of bovid enteroviruses from free-living wild animals in Botswana. *Veterinary Record*, 116: 238 – 239.

Hameed, S.M.A. (1986). Dietary overlaps of tiang, buffalo, reedbuck, waterbuck and sheep in Dinder National Park, Sudan. *Dissertation Abstracts International, B Sciences and Engineering*, 47: 461B.

Hammond, J.A. (1972). Infections with *Fasciola* spp. in wildlife in Africa. *Tropical Animal Health and Production*, 4: 1 – 13.

Hanks, J. (1969). Techniques for marketing large African mammals. *The Puku*, 5: 65 – 90.

Hanks, J. (1974). *Mammals of Southern Africa*. Sandton: McGraw Hill.

Hanks, J., Densham, W.D., Smuts, G.L., Jooste, J.F., Joubert, S.C.J., Le Roux, P. & Milstein, P. le S. 1981. Management of locally abundant mammals - the South African experience. In: Jewell, P.A. & Holt, S. (Eds) *Problems in management of locally abundant wild mammals*. London: Academic Press. pp 21 – 57.

Hansen, R.M., Mugambi, M.M. & Bauni, S.M. (1985). Diets and trophic ranking of ungulates of the northern Serengeti. *Journal of Wildlife Management*, 49: 823 – 829.

Hargreaves, S.K., Foggin, C.M., Anderson, E.C., Bastos, A.D.S., Thomson, G.R., Ferris, N.P. & Knowles, N.J. (2004). An investigation into the source and spread of foot and mouth disease virus from a wildlife conservancy in Zimbabwe. *Rev. Sci. Techn., Off. int. Epizoot.* 23: 783 –

790.

Harthoorn, A.M. (1958). Comparison of food intake and growth-rate of the African buffalo (*Syncerus caffer*) with indigenous cattle: preliminary report. *Veterinary Record*, 70: 939 – 940.

Harthoorn, A.M. (1963). Modern trends in animal health and husbandry - Ataractic, hypnotic and narcotic mixtures for the capture and handling of large wild animals. *British Veterinary Journal*, 119: 47 – 63.

Harthoorn, A.M. (1975). The drug immobilization of large wild herbivores other than the antelopes. In: Young E. (Ed.) *Capture and care of wild animals*. Cape Town/Pretoria: Human & Rousseau. pp 51 – 61.

Harthoorn, A.M. (1975). Review of wildlife capture drugs in common use. In: Young E. (Ed.) *The Capture and care of wild animals*. 3rd Ed. Cape Town/Pretoria: Human & Rousseau. pp 14 – 34.

Harthoorn, A.M., Brocklesby, D.W. & Robertshaw, D. (1963). The gestation and parturition of the African buffalo (*Syncerus caffer caffer* Sparrman). *East African Wildlife Journal*, 1: 122 – 123.

Harthoorn, A.M., Jenkins, W., Turkstra, J. & Mason, D. (1974). Seasonal changes in liver selenium content as a possible factor in transit myopathy: a preliminary report. In: *Proceedings of the Congress of the American Association of Zoo Veterinarians*, Atlanta pp 1 – 5.

Hartl, G.B., Goltenboth, R., Grillitsch, M. & Willin,g R. (1988). On the biochemical systematics of the Bovini. *Biochemical Systematics and Ecology*, 16: 575 – 579.

Hashim, I.M. (1987). Relationship between biomass of forage used and masses of faecal pellets of wild animals in meadows of the Dinder National Park. *African Journal of Ecology*, 25: 217 – 223.

Hassanali, A., McDowellm P., Owagam M, & Sainim R. (1986). Identification of tsetse attractants from excretory products of a wild host animal. *Insect Science and its Application*, 7: 5 – 9.

Hassanin, A. & Douzery, E.J.P. (1999). The tribal radiation of the family Bovidae (Artiodactyla) and the evolution of the mitochondrial cytochrome b gene. *Mol. Phylogenet. Evol.*, 13: 227 – 243.

Hattingh, J., de Vos, V., Bomzon, L., Marcus, E., Jooste, C. & Chertkow, S. (1980). Comparative physiology of colloid osmotic pressure. *Comparative Biochemistry and Physiology*, 67: 203 – 206.

- Hattingh, J., Ganhao, M.F., Kruger, F.J.N., Kay, G.W. & de Vos, V. (1988). Remote controlled sampling of cattle and buffalo blood. *Comparative Biochemistry and Physiology, A Comparative Physiology*, 89: 231 – 235.
- Hattingh, J., Ganhao, M.F. & Pitts, N.I. (1990). Physiological responses of buffaloes culled with scoline and hexamethonium. *South African Journal of Science*, 86: 105.
- Hattingh, J., Ganhao, M.F., Pitts, N.I. & de Vos, V. (1988). Physiological responses of the buffalo *Syncerus caffer* culled with succinylcholine and hexamethonium. *Koedoe*, 31: 91 – 97.
- Hattingh, J., Pitts, N.I., de Vos, V., Moyes, D.G. & Ganhao, M.F. (1991). The response of animals to suxamethonium (succinylcholine) and succinylmonocholine. *Journal of the South African Veterinary Association*, 62: 126 – 129.
- Hattingh, J., Pitts, N.I., Ganhao, M. & de Vos, V. (1990). The responses of elephant and buffalo to succinylmonocholine. *South African Journal of Science*, 86:546 [Abstract].
- Hattingh, J., Pitts, N.I., Ganhao, M.F., Moyes, D.G. & de Vos, V. (1990). Blood constituent responses of animals culled with succinylcholine and hexamethonium. *Journal of the South African Veterinary Association*, 61: 117 – 118.
- Hattingh, J., Wright, P.G., de Vos, V., Ganhao, M.F., Silove, M., Knox, A.L., Ritchie, A.L., Cornelius, S.T. & Fonsec, A.F. (1985). Cessation of cortical activity (EEG) in animals following administration of a lethal dose of scoline. *South African Journal of Science*, 81: 395 – 396.
- Hattingh, J., Wright, P.G., de Vos, V., Ganhao, M.F., Silove, M., Knox, C., Ritchie, A.L., Bar-noy, J., Cornelius, S.T. & Fonseca, F. (1985). Cessation of electroencephalographic activity in animals exposed to a lethal dose of succinylcholine. *South African Journal of Zoology*, 20: 123 – 128.
- Hattingh, J., Wright, P.G., de Vos, V., Levine, L., Ganhao, M., McNairn, I.S., Russell, A., Knox, C., Cornelius, S.T. & Bar-noy, J. (1984). Effects of etorphine and succinylcholine on blood composition in elephant and buffalo. *South African Journal of Zoology*, 19: 286 – 290.
- Hattingh, J., Wright, P.G., de Vos, V., McNairn, I.S., Canhao, M.F., Silove, M., Wolverson, G. & Cornelius, S.T. (1984). Blood composition in culled elephants and buffaloes. *Journal of the South African Veterinary Association*, 55: 157 – 180.
- Hedger, R.S. (1976). Foot and Mouth disease in wildlife with particular reference to the African buffalo (*Syncerus caffer*). In: Page LA. (Ed.) *Wildlife Diseases*. London/New York: Plenum Press. pp 235 – 244.
- Hedger, R.S. (1976). *The maintenance of foot-and-mouth disease in Africa*. PhD thesis,

University of London.

Hedger, R.S. (1981). Foot-and-mouth disease. In: Davies, J.W., Karsted, L.H. & Trainer, D.O. (Eds) *Infectious Diseases of Wild Mammals*. Ames: Iowa State University Press. pp 87 – 90.

Hedger, R.S., Barnett, I.T.R., Gradwell, D.V. & Travassos Dias, P. (1982). Serological tests for foot-and-mouth disease in bovid serum samples. Problems of interpretation. *Revue Scientifique et Technique, International Office des Epizooties*, 1: 387 – 393.

Hedger, R.S. & Condy, J.B. (1985). Transmission of foot and mouth disease from African buffalo virus carriers to bovines. *Veterinary Record*, 117: 205.

Hedger, R.S., Condy, J.B. & Falconer, J. (1969). The isolation of foot and mouth disease virus from African buffalo (*Syncerus caffer*). *Veterinary Record*, 84: 516 – 517.

Hedger, R.S., Condy, J.B. & Golding, S.M. (1972). Infection of some species of African wild life with foot-and-mouth disease virus. *Journal of Comparative Pathology*, 82: 455 – 461.

Hedger, R.S., Condy, J.B. & Gradwell, D.V. (1980). The response of some African wildlife species to foot-and-mouth disease vaccination. *Journal of Wildlife Diseases*, 16: 431 – 438.

Hedger, R.S., Forman, A.J. & Woodford, M.H. (1973). Foot-and-mouth disease virus in East African buffalo. *Bulletin of Epizootic Diseases of Africa*, 21: 99 – 101.

Hedger, R.S. & Hamblin, C. (1978). Neutralizing antibodies to bovid herpes virus 1 (infectious bovine rhinotracheitis/infectious pustular vulvo-vaginitis) in African wildlife with special reference to the Cape buffalo (*Syncerus caffer*). *Journal of Comparative Pathology*, 88: 211 – 218.

Heller, R., Okello, J.B.A. & Siegismund, H. (2010) Can small wildlife conservancies maintain genetically stable populations of large mammals? Evidence for increased genetic drift in geographically restricted populations of Cape buffalo in East Africa. *Molecular Ecology*, 19: 1324 – 1334.

Henning, M.W. (1956). Rinderpest, cattle plague, rinderpest. In: *Animal diseases in South Africa*. 3rd Ed. Johannesburg: Central News Agency. pp 828 – 833.

Henning, M.W. (1956). The Theilerioses (and Gonderioses). In: *Animals diseases in South Africa*. 3rd Ed. Johannesburg: Central News Agency. pp 593 – 629.

Henning, M.W. (1956). Trypanosomiasis. In: *Animal diseases in South Africa*. 3rd Ed. Johannesburg: Central News Agency. pp 716 – 766.

Henschel, P., Abernethy, K.A. & White, L.J.T. (2005). Leopard food habits in the Lope National

Park, Gabon, Central Africa. *Afr. J. Ecol.*, 43: 21 – 28.

Henshaw, J. & Ayeni, J. (1971). Some aspects of big-game utilization of mineral licks in Yankari Game Reserve, Nigeria. *East African Wildlife Journal*, 9: 73 – 82.

Henshaw, J. & Geerling, C. (1973). A description of the savanna buffalo of Yankari Game Reserve, North-East Nigeria. *Mammalia*, 37: 94 – 100.

Herold, F.C., De Haas, K., Cooper, D., Colenbrander, B., Nothling, J.O., Theunisen, W., Spillings, B. & Gerber, D. (2004). Comparison of three different media for freezing of epididymal sperm from the African buffalo (*Syncerus caffer*) and influence of equilibration time on the post-thaw sperm quality. *Onderstepoort J. vet. Res.*, 71: 203 – 210.

Herold, F.C., de Haas, K., Colenbrander, B., Gerber, D. (2006). Comparison of equilibration times when freezing epididymal sperm from African buffalo (*Syncerus caffer*) using Triladyl® or AndroMed. *Theriogenology*, 66: 1123 – 1130.

Herrick, J.R., Bartels, P. & Krisher, R.L. (2004). Post thaw evaluation of in vitro function of epididymal spermatozoa from four species of free-ranging African bovids. *Biol. Reprod.*, 71: 948 – 958.

Herr, S. & Marshall, C. (1981). Brucellosis in free living African buffalo (*Syncerus caffer*): a serological survey. *Onderstepoort Journal of Veterinary Research*, 48: 133 – 134.

Hildebrandt, W.R. (2014). Management and reproduction of the African savanna buffalo (*Syncerus caffer caffer*). MSc (Agric) Thesis, Stellenbosch University.

Hill, A. & Wyatt, J.R. (1976). Non-aggressive tactile interactions of *Hippopotamus amphibius* (Linn.) with *Syncerus caffer* (Sparrman). *Mammalia*, 40: 160 – 162.

Hill, G.C., Shimer, S., Caughey, B. & Sauer, S. (1978). Growth of infective forms of *Trypanosoma brucei* on buffalo lung and Chinese hamster lung tissue culture cells. *Acta Tropica*, 35: 201 – 207.

Hitchins, P.M. (1968). Records of plants eaten by mammals in the Hluhluwe Game Reserve, Zululand. *Lammergeyer*, 8: 31 – 39.

Hitchins, P.M. (1968). Liveweights of some mammals from Hluhluwe Game Reserve, Zululand. *Lammergeyer*, 9:42.

Hoener, O.P., Wachter, B., East, M.L. & Hofe,r H. (2002). The response of spotted hyaenas to long-term changes in prey populations: Functional response and interspecific kleptoparasitism. *J. Anim. Ecol.*, 71: 236 – 246.

Hofmann, R.R. (1973). *The Ruminant Stomach. Stomach Structure and Feeding Habits of East African Game Ruminants*. Nairobi: East African Literature Bureau.

Hofmann, R.R. & Stewart, D.R.M. (1972). Grazer or browser: a classification based on the stomach-structure and feeding habits of East African ruminants. *Mammalia*, 36: 226 – 240.

Hofmeyr, C.F.B. (1956). Two hundred and eighty-four autopsies at the National Zoological Gardens, Pretoria. *Jl S. Afr. vet. Med. Assoc.*, 27: 263 – 266.

Hofmeyr, M. (2005). The disease-free buffalo breeding project of the State Veterinary Services and South African National Parks. In Conservation and development interventions at the wildlife/livestock interface. Implications for Wildlife, Livestock and Human Health (Edited by Osofsky SA). p. 140

Hoppe-Dominik, B. (1992). Habitatbenutzung von Waldbüffel, *Syncerus caffer nanus*, Bongo, *Tragelaphus eurycerus*, und Waldelefant, *Loxodonta africana cyclotis* auf Forst-Fahrwegen im Regenwaldgebiet der Elfenbeinküste. *Säugetielerkundliche Mitteilungen*, 34: 31 – 41.

Hoppe-Dominik, B. & Harbers, F. (1988). Observations on the parasites of forest buffalo *Syncerus caffer nanus*, in the rain forest of the Ivory Coast, West Africa. *Tierärztliche Umschau*, 43: 313 – 314.

Horak, I.G. (1980). *Studies on helminths and athropod parasites of some domestic and wild animals in southern Africa*. DVSc dissertation, University of Pretoria.

Horak, I.G., Potgieter, F.T., Walker, J.B, Boomker, J. & de Vos, V. (1983). The ixodid tick burdens of various large ruminant species in South African nature reserves. *Onderstepoort Journal of Veterinary Research*, 50: 221 – 228.

Hornsveld, M. (1996). Applied anatomical aspects of the African buffalo. In: Penzhorn, B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 6 – 20.

Hove, T. & Dubey, J.P. (1999). Prevalence of *Toxoplasma gondii* antibodies in sera of domestic pigs and some game species from Zimbabwe. *J. Parasitol.*, 85: 372 – 373.

Howard, D.A. (1964). The copper content of the liver of some game animals in Kenya. *East African Wildlife Journal*, 2: 47 – 50.

Hunter, C.G. (1997). Land uses on the Botswana/Zimbabwe border and their effects on buffalo. *S. Afr. J. Wildl. Res.*, 26: 136 – 150.

Hustler, K. (1987). Host preference of oxpeckers in the Hwange National Park, Zimbabwe. *African Journal of Ecology*, 25: 241 – 245.

- Hyera, J.M.K. (1989). *Bovine viral diarrhoea (BVD) virus infection in domestic and wild ruminants in northern Tanzania*. Thesis, Tierärztliche Hochschule, Hannover.
- Illius, A.W. & Fitzgibbon, C. (1994). Costs of vigilance in foraging ungulates. *Animal Behaviour*, 47: 481 – 484.
- Janesch, L., Rohr, J., Volenec, D., Grobler, D., Puffer, A., Prokupe, k A.M., Armstrong, D.L., Dankoff, S., Curro, T., Simmons, H., Crichton, E.G., Hamilton, J., Rasmussen, L., Zimmermann, D., Lomneth, R., Wood, R., Wood, D., Loskutoff, N.M. (2001). Post-thaw viability of wild cattle (*Bos gaurus*) and buffalo (*Syncerus caffer*) sperm cryopreserved using a novel, non-animal protein cryodiluent (abstr.). *Theriogenology*, 55: 387.
- Janacek, L.L., Honeycutt, R.L., Adkins, R.M., Davis, S.K. (1996). Mitochondrial gene sequences and the molecular systematics of the Artiodactyl subfamily Bovinae. *Mol. Phylogenet. Evol.*, 6: 107 – 119.
- Jarman, P.J. (1971). Diets of large mammals in the woodlands around Lake Kariba, Rhodesia. *Oecologia*, 8: 157 – 187.
- Jarman, P.J. (1974). The social organisation of antelope in relation to their ecology. *Behaviour*, 48: 215 – 267.
- Jenkinson, D.M. & Nay, T. (1975). The sweat glands and hair follicles of different species of bovidae. *Australian Journal of Biological Sciences*, 28: 55 – 68.
- Jewell, P.A. & Holt, S. (1981). *Management of locally abundant animals*. London: Academic Press.
- Jolles, A.E. (2004). Disease ecology of tuberculosis in African buffalo. PhD, Princeton University, Princeton.
- Jolles, A.E., Cooper, D.V. & Levin, S.A. (2005). Hidden effects of chronic tuberculosis in African buffalo. *Ecology*, 86: 2358 – 2364.
- Jolles, A.E. (2007). Population biology of African buffalo (*Syncerus caffer*) at Hluhluwe-iMfolozi Park, South Africa. *Africa Journal of Ecology*, 45: 398 – 406.
- Jolles, A.E., Ezenwa, V.O., Etienne, R.S., Turner, W.C. & Olf, H. (2008). Interactions between Macro-parasites and microparasites drive infection patterns in free-ranging African buffalo. *Ecology*, 89: 2239 – 2250.
- Jones, D.M. (1974). A severe spinal deformity in a Cape buffalo calf (*Syncerus caffer*) similar to short spine lethal' of Angus cattle (*Bos taurus*). *British Veterinary Journal*, 130: 24 – 25.

- Jones, M.A. (1991). *Aerial census of elephant and other large mammals in Gonarezhou National Park*. Department of National Parks and Wild Life Management, Harare, Zimbabwe.
- Jori, F., Alexander, K.A., Mokopasetso, M., Munstermann, S., Moagabo, K. & Paweska, J.T. (2015). Serological evidence of Rift Valley fever virus circulation in domestic cattle and African buffalo in northern Botswana (2010–2011), *Frontiers of Veterinary Science* 2:63. <https://doi.org/10.3389/fvets.2015.00063>
- Jori, F. & Etter, E. (2016). Transmission of foot and mouth disease at the wildlife/livestock interface of the Kruger National Park, South Africa: Can the Risk be mitigated? *Preventative Veterinary medicine*, 126: 19 – 29.
- Joubert, E. & Mostert, P.K.N. (1975). Distribution patterns and status of some mammals in South West Africa. *Madoqua*, 9: 5 – 44.
- Joubert, S.CJ. (1971). The magnificent national parks of Angola. *Afr. Wildl.*, 25: 61 – 65.
- Kabongo, N. & van Vuuren M. (2004). Detection of bovine viral diarrhoea virus in specimens from cattle in South Africa and possible association with clinical disease. *Jl S. Afr. vet. Ass.*, 75: 90 – 93.
- Kalema-Zikusoka, G., Bengis, R.G., Michel, A.L. & Woodford, M.H. (2005). A preliminary investigation of tuberculosis and other diseases in African buffalo (*Syncerus caffer*) in Queen Elizabeth National Park, Uganda. *Onderstepoort Journal of Veterinary Research*, 72(2): 145–151. <https://doi.org/10.4102/ojvr.v72i2.210>
- Kaliner, G. (1975). Observations on the histomorphology of sarcosporidian cysts of some East African game animals (Artiodactyla). *Zeitschrift für Parasitenkunde*, 46: 13 – 23.
- Kaliner, G., Grootenhuis, J.G. & Protz, D. (1974). A survey for sarcosporidial cysts in East African game animals. *Journal of Wildlife Diseases*, 10: 237 – 238.
- Kaliner, G. & Staak, C. (1973). A case of orchitis caused by *Brucella abortus* in the African buffalo. *Journal of Wildlife Diseases*, 9: 251 – 253.
- Kaliner, G. (1975). Observations on the histomorphology of sarcosporidian cysts of some East African game animals (Artiodactyla). *Z. Parasitenk.*, 46: 13 – 23.
- Kaliner, G, Groothuis, J.G. & Protz, D. (1974). A survey for sarcosporidial cysts in East African game animals. *J. Wildl. Dis.*, 10: 237 – 238.
- Kaliner, G., Sachs, R., Fay, L.D. & Schiemann, B. (1971). [Investigations into the occurrence of sarcosporidia in East African wildlife] (German). *Z. Tropenmed. Parasitol.*, 22: 156 – 164.

- Kangwagye, T. (1977). Reactions of large mammals to biting flies in Rwenzori National Park, Uganda. *Proceedings of the 1st East African Conference on Entomology and Pest control, Nairobi*.
- Kanhai, G. & da Silva, R. (1981). A serological survey of bluetongue in Mozambique. *Bulletin of Animal Health and Production in Africa*, 29: 289 – 291.
- Karbe, E., Grootenhuis, J.G., Kelley, S. & Karstad, L. (1979). Experiments on the *Babesia bigemina* carrier state in East African buffalo and eland. *Tropenmedizin und Parasitologie*, 30: 313 – 317.
- Kariuki, T.M., Grootenhuis, J.G., Dolan, T.T., Bishop, R.P. & Baldwin, C.L. (1990). Immunization with *Theileria parva* parasites from buffaloes results in generation of cytotoxic T cells which recognize antigens common among cells infected with stocks of *T. parva parva*, *T. parva bovis*, and *T. parva lawrencei*. *Infect Immun.*, 58: 3574 – 3581.
- Karstad, L, Grootenhuis, J.G. & Mushi, E.Z. (1978). Research on wildlife diseases in Kenya 1967-1978. *Kenya Veterinarian*, 2: 29 – 32.
- Kasali, O.B. (1972). A case of haemorrhagic septicaemia in an African buffalo (*Syncerus nanus*) in Nigeria. *Bulletin of Epizootic Diseases of Africa*, 20: 203 – 204.
- Keep, M.E. (1970). A checklist of the blood parasites recorded from the larger wild mammals in Zululand. *Lammergeyer*, 11: 54 – 57.
- Keep, M.E. (1976). Some physiological serum normals in free-living wild animal species from Natal, South Africa. *Journal of Zoo Animal Medicine*, 7: 7 – 10.
- Keep, M.E. (1990). Lice (Phthiraptera), fleas (Siphonaptera) and mites (Trombiformes, Sarcoptiformes and Mesostigmata) recorded from the larger game species in Natal. *Lammergeyer*, 41: 23 – 29.
- Keesing, F. (1998). Impacts of ungulates on the demography and diversity of small mammals in central Kenya. *Oecologia*, 116: 381 – 389.
- Keet, D.F., Boomker, J., Kriek, N.P.J., Zakrisson, G. & Meltzer, D.G.A. (1996). Parafilariosis in African buffaloes (*Syncerus caffer*). In: Penzhorn, B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 104 – 112.
- Keet, D.F., Kriek, N.P.J., Huchzermeyer, H. & Bengis, R.G. (1994). Advanced tuberculosis in an African buffalo (*Syncerus caffer* Sparrman). *Journal of the South African Veterinary Association*, 65: 79 – 83.

- Keet, D.F., Boomker, J., Kriek, N.P.J., Zakrisson, G. & Meltzer, D.G.A. (1997). Parafilariosis in African buffaloes (*Syncerus caffer*). *Onderstepoort J. Vet. Res.*, 64: 217 – 225.
- Keet, D.F., Hunter, P., Bengis, R.G., Bastos, A., Thomson, G.R. (1996). The 1992 foot-and-mouth disease epizootic in the Kruger National Park. *J. S. Afr. Vet. Ass.*, 67: 83 – 87.
- Keet, D.F., Kriek, N.P.J., Penrith, M.L., Michel, A. & Huchzermeyer, H. (1996). Tuberculosis in buffaloes (*Syncerus caffer*) in the Kruger National Park: Spread of the disease to other species. *Onderstepoort J. Vet. Res.*, 63: 239 – 244.
- Keet, D.F., Kriek, N.P.J., Bengis, R.G., Grobler, D.G., Michel, A. (2000). The rise and fall of tuberculosis in a free-ranging Chacma baboon troop in the Kruger National Park. *Onderstepoort J. Vet. Res.*, 67: 115 – 122.
- Keffen, R.H. (1985). Heartwater challenge of two Cape buffalo (*Syncerus caffer*). [Negative result]. *Journal of the South African Veterinary Association*, 56:55.
- Kenyi, J.M. (1978). Aerial counts of buffalo herds in Rwenzori National Park, Uganda. *East African Wildlife Journal*, 16: 221 – 222.
- Keogh, H.J. (1983). A photographic reference system of the microstructure of the hair of Southern African bovids. *South African Journal of Wildlife Research*, 13: 89 – 132.
- Kettlitz, W.K. (1962). The distribution of some of the larger mammals in the Transvaal (Excluding the Kruger National Park). *Annals of the Cape Provincial Museums*, 11: 118 – 137.
- Kidson, A., Lambrechts, H., Bartels, P., Denniston, R.S. & Barry, D.M. (2000). In vitro embryo development in the Cape buffalo (*Syncerus caffer*): age-, parity- and oocyte quality-dependent differences following IVF (abstr.). *Theriogenology*, 53:335.
- Kilian, I., Lubbe, K., Bartels, P., Friedmann, Y. & Denniston, R.S. (2000). Evaluating epididymal sperm of African wild ruminants: longevity when stored at 4°C and viability following cryopreservation (abstr.). *Theriogenology*, 53: 336.
- King, J.M. & Heath, B.R. (1975). Game domestication for animal production in Africa: experiences at the Galana ranch. *World Animal Review*, 16: 23 – 30.
- King, J.M., Heath, B.R. & Hill, R.E. (1977). Game domestication for animal production in Kenya: theory and practice. *Journal of Agricultural Science, Cambridge*, 89: 445 – 457.
- Kingdon, J. (1982). African buffalo, *Syncerus caffer*. In: *East African Mammals. An atlas of evolution in Africa*. London: Academic Press. pp 56 – 71.

- Kitching, R.P. (2005). Global epidemiology and prospects for control of foot-and-mouth disease. *Curr. Topics Microbiol. Immunol.*, 288: 133 – 148.
- Knechtel, C. (1993). Brunstverhalten bei Kaffernbueffeln (*Syncerus caffer caffer*) im Tierpark Berlin- Friedrichsfelde. *Der Zoologische Garten*, 63: 32 – 58.
- Knight, M.H., Kshatriya, M., van Jaarsveld, A.S., Nichols, A.O. & Hall-Martin, A.J. (2001). Evaluating herbivore extinction probabilities in Addo Elephant National Park, South Africa. *Afr. Zool.*, 36: 13 – 22.
- Koch, H.T. (1990). The history of Theileriosis in Zimbabwe. In: *Aspects of the Epidemiology of January disease (Theileria parva bovis infection) in Zimbabwe*. PhD thesis, University of Utrecht.
- Koch, H.T. (1990). The occurrence of January disease (*Theileria parva bovis* infection) in Zimbabwe. In: *Aspects of the epidemiology of January disease (Theileria parva bovis infection) in Zimbabwe*. PhD thesis, University of Utrecht.
- Kock, R.A., Wambua, J., Mwanzia, J., Rossiter, P., Wamwayi, H. & Kock, N. (1995). Rinderpest epidemic in the Tsavo National Park Kenya 1994-5. *Proceedings, American Association of Zoo Veterinarians, Wildlife Disease Association*, Joint conference.
- Kock, R.A., Wambua, J.M., Mwanzia, J., Wamwayi, H., Ndungu, E.K., Barrett, T., Kock, N.D., Rossiter, P.B. (1999). Rinderpest epidemic in wild ruminants in Kenya 1993-97. *Vet. Rec.*, 145: 275 – 283.
- Korte, L. (2008a). Habitat selection at two spatial scales and diurnal activity patterns of adult female forest buffalo. *Journal of Mammalogy*, 89: 115 – 125.
- Korte, L. (2008b). Variation of group size among African buffalo herds in a forest savanna mosaic landscape. *Journal of Zoology*, 275: 229 – 236.
- Korte, L. (2008c). Calving and inter-birth intervals of forest buffalo at Lopé National Park, Gabon. *African Journal of Ecology*, 46: 676 – 678.
- Korte, L. (2009). Herd-switching in adult female African forest buffalo *Syncerus caffer nanus*. *African Journal of Ecology*, 47: 125 – 127.
- Kovacs, A., Graf, Z., Balazs, K. & Fischer, A. (1982). Chromosomal investigation of mammals in Budapest Zoo. In: *Erkrankungen der Zootiere*. Berlin: Springer Verlag. pp 475 – 482.
- Kramer, B., Hattingh, J., Teixeira, M., Wolf, D. & Raath, J.P. (1995). The neuromuscular junction in the African elephant *Loxodonta africana* and African buffalo *Syncerus caffer*. *South African Journal of Wildlife Research*, 25: 14 – 16.

Krauss, H., Roettcher, D., Weiss, R., Danner, K. & Hubschle, O.J.B. (1984). Wild animals as a source of infection for domestic animals: investigations in Zambia. *Giessener Beiträge zur Entwicklungs-forschung, Reihe I*, 10: 133 – 149.

Kriek, N.P.J. (1996). Tuberculosis in the African buffalo. In: Penzhorn BL (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 121 – 125.

Kriek, N.P.J. & de Vos, V. (1996). Species differences in the pathology of wildlife in the Kruger National Park, South Africa. *Salisbury Medical Bulletin* (spec. suppl., June), no 87.

Kroll, W.R. (1962). Experience with sernylan in zoo animals. *International Zoo Yearbook*, 4: 131 – 141.

Kruger, F.J. & Wolmarans, C.T. (1990). Host cellular components adhering to the tegument of schistosomes from cattle, buffalo, hippopotamus and lechwe. *Onderstepoort Journal of Veterinary Research*, 57: 137 – 139.

Kruuk, H. & Turner, M. (1967). Comparative notes on predation by lion, leopard, cheetah and wild dog in the Serengeti area, East Africa. *Mammalia*, 31: 1 – 27.

Krüger, J. (1996). Socio-ecology of the African buffalo (*Syncerus caffer*): implications for game ranching. In: Penzhorn, B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 1 – 5.

Kutilek, M.J. (1974). The density and biomass of large mammals in Lake Nakuru National Park. *East African Wildlife Journal*, 12: 201 – 212.

Kuttler, K.L. (1965). Serological survey of anaplasmosis incidence in East Africa using the complement fixation test. *Bull. epizoot. Dis. Afr.*, 13: 257 – 262.

Laisse, C.J.M., Gavier-Widen, D., Ramis, G., Bila, C.G., Machado, A., Quereda, J.J. *et al.* (2011). Characterization of tuberculous lesions in naturally infected African buffalo (*Syncerus caffer*). *Journal of Veterinary Diagnostic Investigation*, 23(5): 1022 – 1027.
<https://doi.org/10.1177/1040638711416967>

Laker-Ojok, G.L. (1985). *The effects of large herbivores on the ecosystem of Queen Elizabeth National Park, Uganda*. PhD thesis, Michigan State University.

Lambrechts, A. von W. (1974). The numerical status of sixteen game species in the Transvaal, excluding the Kruger National Park. *Journal of the South African Wildlife Management Association*, 4: 95 – 102.

- Lambrechts, H., van Niekerk, F.E.W., Coetzer, W.A., Cloete, S.W.P. & van der Horst, G. (1999). The effect of cryopreservation on the survivability, viability and motility of epididymal African buffalo (*Syncerus caffer*) spermatozoa. *Theriogenology*, 52: 1241 – 1249.
- Lamprey, H.F. (1963). Ecological separation of the large mammal species in the Tarangire Game Reserve, Tanganyika. *East African Wildlife Journal*, 1: 63 – 92.
- Latif, A.A., Hove, T., Kanhai, G.K. & Masaka, S. (2001). Exposure of cattle immunized with different stocks of *Theileria parva* to buffalo-associated *Theileria* challenge on two game parks in Zimbabwe. *Onderstepoort J. Vet. Res.* 68: 197 – 201.
- Laubscher, L. & Hoffman, L. 2012. An Overview of Disease-Free Buffalo Breeding Project with Reference to the Different Systems Used in South Africa. *Sustainability*, 4: 3124 – 3140.
- Lauvergne, J.J. & Renvoise, C. (1980). Inheritance of coat colour differences in the African buffalo (*Syncerus caffer*). *Annales de Genetique et de Selection Animale*, 12: 1 – 7.
- Lawrence, D.A. & Norval, R.A.I. (1979). A history of ticks and tick-borne diseases of cattle in Zimbabwe. *Rhodesian Veterinary Journal*, 10: 28 – 40.
- Lawrence, J.A., Foggin, C.M. & Prozesky, L. (2010). Gousiekte in African buffalo (*Syncerus caffer*). *Journal of the South African Veterinary Association*, 81(3): 170 – 171.
<https://doi.org/10.4102/jsava.v81i3.142>
- Ledger, H.P. (1968). Body composition as a basis for a comparative study of some East African mammals. *Symposium of the Zoological Society of London*, 21: 289 – 310.
- Legemaat, W. & de Bie, S. (1989). Ungulate carrying capacity research at the Nazinga game ranch, Burkina Faso. In: *Transactions: International Union of game biologists Congress, 19th, Trondheim, Norway*. pp 627 – 632.
- Leuthold, W. (1972). Home range, movements and food of a buffalo herd in Tsavo National Park. *East African Wildlife Journal*, 10: 237 – 243.
- Leuthold, W. (1977). *African ungulates: a comparative review of their ethology and behavioural ecology*. Berlin: Springer Verlag.
- Lewis, E.A. (1943). East Coast Fever and the African buffalo, the eland and the bushbuck. *East African Agricultural Journal*, 9: 90 – 92.
- Lewis, J.G. (1978). Game domestication for animal production in Kenya: shade behaviour and factors affecting the herding of eland, oryx, buffalo and zebu cattle. *Journal of Agricultural Science, Cambridge*, 90: 587 – 595.

- Lopez-Rebollar, L.M., van der Merwe, J.S., Janse van Rensburg, B. & Petlele, E. (2002). The efficacy of amprolium against coccidiosis in captive buffalo (*Syncerus caffer*) in the Kruger National Park (abstr.). *Jl. S. Afr. Vet. Ass.*, 73:159.
- Lubeck, M.D. & Johnson, F.B. (1976). Multiplication of bovine parvovirus in two cell strains. *Infection and Immunity*, 13: 1289 – 1292.
- Luxmoore, R.A. (1991). Monitoring trade in wildlife products, and the impact of ranching in wildlife conservation. In: Renecker, L.A. & Hudson, R.J. (Eds) *Wildlife Production: conservation and sustainable development*. Fairbanks: University of Alaska
- Macandza, V.A., Owen-Smith, N. & Cross, P.C. (2004). Forage selection by African buffalo in the late dry season in two landscapes. *S. Afr. J. Wildl. Res.*, 34: 113 – 121.
- Maclatchy, A.R. (1932). Les buffles du Gabon (Regions du Fernan-Vaz et de la N’Gounie). *Terre et vie*, 2: 584 – 596.
- Madson, M. & Anderson, E.C. (1995). Serological survey of Zimbabwean wildlife for brucellosis. *Journal of Zoo and Wildlife Medicine*, 26: 240 – 245.
- Mahaney, W.C. (1986). Environmental impact in the afroalpine and subalpine belts of Mount Kenya, East Africa. *Mountain Research Development*, 6: 247 – 260.
- Mahaney, W.C. (1987). Behaviour of the African buffalo on Mount Kenya. *African Journal of Ecology*, 25: 199 – 202.
- Mahaney, W.C. & Hancock, R.G.V. (1990). Geochemical analysis of African buffalo geophagic sites and dung on Mount Kenya, East Africa. *Mammalia*, 54: 25 – 32.
- Maisels, F., Keming, E., Kemei, M. & Toh, C. (2001). The extirpation of large mammals and implications for montane forest conservation: the case of the North-west Province, Cameroon. *Oryx*, 35: 322 – 331.
- Makacha, S. & Schaller, G.B. (1969). Observations on lions in the Lake Manyara National Park, Tanzania. *East African Wildlife Journal*, 7: 99 – 103.
- Maloiy, G.M.O. (1973). Water metabolism of East African ruminants in arid and semi-arid regions. *Zeitschrift für Tierzucht und Zuchtungsbiologie*, 90: 219 – 228.
- Maloiy, G.M.O., Clemens, E.T. & Kamau, J.M.Z. (1982). Aspects of digestion and in vitro rumen fermentation rate in six species of East African wild ruminants. *Journal of Zoology, London*, 197: 345 – 353.

- Mammerickx, M. (1960). Le buffle (Monographie du genre *Bubalus*). *Bulletin Agricole du Congo Belge*, 51: 171 - 211 (Babesia; DRC).
- Mannathoko, M.M. (1987). Comprehensive report: epidemiology of FMD in Africa 1982-1986. *Foot and Mouth Disease*, 3: 9 – 15.
- Mansvelt, P.R. (1965). The role of wildlife in the epizootiology of some infectious and parasitic animal diseases in South Africa. *Bulletin official international epizootics*, 64: 825 – 835.
- Maré, C.J. (1980). East coast fever. *Bovine practitioner*, 15: 177 – 179.
- Maritim, A.C., Young, A.S., Lesan, A.C., Ndungu, S.G., Stagg, D.A. & Ngumi, P.N. (1992). Transformation of *Theileria parva* derived from African buffalo (*Syncerus caffer*) by tick passage in cattle and its use in infection and treatment immunization. *Veterinary Parasitology*, 43: 1 – 14.
- Marks, S.A. (1973). Prey selection and annual harvest of game in rural Zambian community. *East African Wildlife Journal*, 11: 113 – 128.
- Marks, S.A. (1989). Small-scale hunting economies in the tropics. In: Hudson, R.J., Drew, K.R. & Baskin, L.M. (Eds) *Wildlife Production Systems: economic utilization of wild ungulates*. Cambridge: Cambridge University Press. pp 75 – 95.
- Marsboom, R. (1950). De buffel en zijn economische betekenis voor Belgisch-Congo. *Bulletin Agricole du Congo Belge*, 41: 773 – 792.
- Mason, D.R. & van der Walt, P.A. (1984). Sex and age data from cropping of buffalo *Syncerus caffer* in the Kruger National Park. *Koedoe*, 27: 73 – 78.
- May, T.L. & Condy, J.B. (1965). Foot and mouth disease in game in Rhodesia. *Bulletin official international epizootics*, 64: 805 – 811.
- McBride, C.J. (1984). Age and size categories of lion prey in Chobe National Park, Botswana. *Botswana Notes and Records*, 16: 139 – 143.
- McConnell, E.E., Tustin, R.C. & de Vos, V. (1972). Anthrax in an African buffalo (*Syncerus caffer*) in the Kruger National Park. *Journal of the South African Veterinary Medical Association*, 43: 181 – 187.
- McCully, R.M., van Niekerk, J.W. & Basson, P.A. (1967). The pathology of *Cordophilus sagittus* (v. Linstow, 1907) infestation in the kudu [*Tragelaphus strepsiceros* (Pallas, 1766)], bushbuck [*Tragelaphus scriptus* (Pallas, 1766)] and African buffalo [*Syncerus caffer* (Sparman, 1779)] in South Africa. *Onderstepoort Journal of Veterinary Research*, 34: 137 – 160.

McNulty, C. (2015). African buffalo as reservoir hosts for infectious respiratory pathogens in Kruger National Park, South Africa. MSc. thesis, University of Wisconsin-Madison, Madison.

Megaze, A., Belay, G., & Balakrishnan, M. (2012). Population structure and ecology of the African buffalo (*Syncerus caffer* Sparrman, 1779) in Chebera Churchura National Park, Ethiopia. *African Journal of Ecology*. doi: 10.1111/aje.12049.

Melletti, M. (2008). Habitat use and behaviour of forest buffalo (*Syncerus caffer nanus*) in Dzanga-Ndoki National Park, Central African Republic. PhD dissertation. University of Rome, 'La Sapienza'.

Melletti, M. (2011). Ecology and social organization of forest buffalo (*Syncerus caffer nanus*). Buffalo Meeting, FAO, Rome, 7 – 8 June.

Melletti, M., Penteriani, V. & Boitani, L. (2007a). Habitat preferences of the secretive forest buffalo (*Syncerus caffer*). *Zoology*, 271: 178 – 186.

Melletti, M., Penteriani, V., Mirabile, M. & Boitani, L. (2007b). Some behavioral aspects of forest buffalo (*Syncerus caffer nanus*): from herd to individual. *Journal of Mammalogy*, 88: 1312 – 1323.

Melletti, M., Penteriani, V., Mirabile, M. & Boitani, L. (2008). Effects of habitat and season on the grouping of forest buffalo resting places. *African Journal of Ecology*, 47: 121 – 124.

Melletti, M., Mirabile, M., Penteriani, V. & Boitani, L. (2009). Habitat use by forest mammals in Dzanga-Ndoki National Park, Central Africa Republic. *African Journal of Ecology*, 47: 797 – 800.

Melletti, M., Delgado, M. M., Penteriani, V., Mirabile, M. & Boitani, L. (2010). Spatial properties of a forest buffalo herd, and individual positioning as a response to environmental cues and social behaviour. *Journal of Ethology*, 28: 421 – 428.

Mehlitz, D., Zillmann, U. & Godfrey, D.G. (1983). Recent investigations on the animal reservoir of gambiense sleeping sickness. In: *Seventeenth Meeting of the International Scientific Council for Trypanosomiasis Research and Control*. Arusha, Tanzania pp 157 – 161.

Meinertzhagen, R. (1938). Some weights and measurements of large mammals. *Proceedings of the Zoological Society of London*, 1938: 433 – 439.

Meissner, H.H. (1982). Theory and application of a method to calculate forage intake of wild southern African ungulates for purposes of estimating carrying capacity. *South African Journal of Wildlife Research*, 12: 41 – 47.

Meltzer, D.G.A. (1996). An overview of the diseases of buffalo (*Syncerus caffer*). In: Penzhorn

- BL (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 79 – 89.
- Meltzer, D. & Kock, N. (2012). Stress and capture-related death. In M.D. Kock & R.E. Burroughs (Eds.) *Chemical and physical restraint of wild animals*, pp. 81 – 88, International Wildlife Veterinary Services, Greyton, South Africa.
- Mentis, M.T. (1972). A review of some life history features of the large herbivores of Africa. *Lammergeyer*, 16: 1 – 89.
- Mentis, M.T. (1974). Distribution of some wild animals in Natal. *Lammergeyer*, 20: 1 – 68.
- Mentis, M.T., Collinson, R.F.H. & Wright, M.G. (1978). Legal harvest of protected game in Natal. *Lammergeyer*, 24: 13 – 18.
- Mertens, H. (1985). Structures de population et tables de survie des buffles, topis et cobs de Buffon au Parc National des Virunga, Zaire. *Revue d'Ecologie Appliquee (Terre et Vie)*, 40: 33 – 51.
- Metzger, K.L., Sinclair, A.R.E., Hilborn, R., Hopcraft, J.G.C. & Mduma, S.A.R. (2010). Evaluating the protection of wildlife in parks: the case of African buffalo in Serengeti. *Biodiversity and Conservation*, 19: 3431 – 3444.
- Michel, A.L. & Bengis, R.G. (2012). The African buffalo: A villain for inter-species spread of infectious diseases in southern Africa. *Onderstepoort Journal of Veterinary Research*, 79(2), a453. <https://doi.org/10.4102/ojvr.v79i2.453>
- Michel, A.L., Cooper, D., Jooste, J., De Klerk, L.-M. & Jolles, A. (2011). Approaches towards optimising the gamma interferon assay for diagnosing *Mycobacterium bovis* infection in African buffalo (*Syncerus caffer*). *Preventive Veterinary Medicine*, 98: 142 – 151.
- Michel, A.L., Muller, B. & Van Helden, P.D. (2010). *Mycobacterium bovis* at the animal-human interface: a problem, or not? *Veterinary Microbiology*, 140: 37 – 381.
- Michel, A.L. & Simoes, M. (2009). Comparative field evaluation of two rapid immunochromatographic tests for the diagnosis of bovine tuberculosis in African buffaloes (*Syncerus caffer*). *Veterinary Immunology and Immunopathology*, 127: 186 – 189.
- Michel, A.L., Cooper, D., Jooste, J., de Klerk, L.M. & Jolles, A.E. (2011) Approaches towards optimizing the gamma interferon assay for diagnosing *Mycobacterium bovis* infection in African buffalo. *Preventative Veterinary Medicine*, 98: 142 – 151.
- Mihok, S., Olubayo, R.O., Darji, N. & Zwegarth, E. (1993). The influence of host blood on infection rates in *Glossina morsitans* spp. infected with *Trypanosoma congolense*, *T. brucei* and

T. simiae. *Parasitology*, 107: 41 – 48.

Mihok, S., Stiles, J.K., Mpanga, E. & Olubayo, R.O. (1994). Relationships between protease activity, host blood and infection rates in *Glossina*. *Medical and Veterinary Entomology*, 8: 47 – 50.

Mills, M.G.L., Biggs, H.C. & Whyte, I.J. (1995). The relationship between rainfall, lion predation and population trends in African herbivores. *Wildlife Research*, 22: 75 – 88.

Mitchell, B.L., Shenton, J.B. & Uys, J.C.M. (1965). Predation on large mammals in the Kafue National Park, Zambia. *Zoologica Africana*, 1: 297 – 318.

Mloszewski, M.J. (1983). *The behaviour and ecology of the African buffalo*. Cambridge: Cambridge University Press.

Mloszewski, M.J. & Mahaney, W.C. (1989). A check-list of wild and African bovidae related to montane habitats, with an expanded note on geophagic behaviour of buffalo on Mount Kenya. In: Mahaney WC. (Ed.) *Quaternary and Environmental Research on East African mountains*.

Modha, K.L. & Field, A. (1974). A record of twins in the African buffalo *Syncerus caffer* (Sparrman). *East African Wildlife Journal*, 12:319.

Modi, W.S., Gallagher, D.S. & Womack, J.E. (1996). Evolutionary histories of highly repeated DNA families among the Artiodactyla (Mammalia). *J. Mol. Evol.*, 42: 337 – 349.

Modi, W.S., Ivanov, S. & Gallagher, D.S. (2004). Concerted evolution and higher-order repeat structure of the 1.709 (satellite IV) family in bovids. *J. Mol. Evol.*, 58: 460 – 465.

Mohan, R.N. & Gotts, M.G. (1970). Diseases and parasites of the African buffalo (*Syncerus caffer*). *Veterinary Bulletin*, 40: 157 – 165.

Mollet, C.L. (1979). The incidence of hernia in the East African buffalo. *African Journal of Ecology*, 17: 45 – 46.

Moloo, S.K., Grootenhuis, J.G., Kar, S.K. & Karstad, L. (1988). Survival and reproductive performance of female *Glossina morsitans morsitans* when maintained on the blood of different species of wild mammals. *Medical and Veterinary Entomology*, 2: 347 – 350.

Moloo, S.K., Olubayo, R.O., Kabata, J.M. & Okumu, I.O. (1992). A comparison of African buffalo, n'dama and boran cattle as reservoirs of *Trypanosoma congolense* for different *Glossina* species. *Medical and Veterinary Entomology*, 6: 225 – 230.

Moloo, S.K., Orinda, G.O., Sabwa, C.L., Minja, S.H. & Masake, R.A. (1999). Study on the

sequential tsetse-transmitted *Trypanosoma congolense*, *T. brucei brucei* and *T. vivax* infections to African buffalo, eland, waterbuck, N'Dama and Boran cattle. *Vet. Parasitol.*, 80: 197 – 213.

Monfort, N. (1981). A study of buffalo *Syncerus caffer* (Sparman) populations in Akagera National Park (Rwanda). II. Social organizations and ecological adaptations. *Zeitschrift für Säugetierkunde*, 45: 173 – 188.

Moonen, P. & Schrijver, R. (2000). Carriers of foot-and-mouth disease virus: A review. *Vet. Q.* 22(4): 193 – 197.

Morfeld, K., Henton, M.M., Grobler, D., Bengis, R., Puffer, A., Armstrong, D.L., Dankoff, S, de la Rey, M., de la Rey, R., Hansen, H., Strick, J., Rasmussen, L., York, D., Zimmermann, D., de Klerk, L.M., Van Dyk, D.S., Crichton, E., Prokupek, A, Stringfellow, D., Loskutoff, N.M. (2001). Elimination of *Brucella abortus* from infected domestic (*Bos taurus*) and wild (*Bos gaurus*) cattle and buffalo (*Syncerus caffer*) semen without compromising sperm viability (abstr.). *Theriogenology*, 55: 393.

Morrison, W.I. (1996). Influence of host and parasite genotypes on immunological control of *Theileria* parasites. *Parasitology*, 112 (Suppl. S): S53 - S66.

Morton, D.J. & Kock, M.D. (1991). Stability of hyaluronidase in solution with Etorphine and Xylazine. *Journal of Zoo and Wildlife Medicine*, 23: 345 – 347.

Motsi, T.R., Tichiwangana, S.C., Matope, G. & Mukarati, N.L. (2013). A serological survey of brucellosis in wild ungulate species from five game parks in Zimbabwe. *Onderstepoort Journal of Veterinary Research*, 80(1), a586. <https://doi.org/10.4102/ojvr.v80i1.586>

Moyo, D.Z., Chakuya, J. & Sungirai, M. (2018). Ixodid ticks of African buffalo (*Syncerus caffer*), impala (*Aepyceros melampus*) and elephant (*Loxodonta africana*) in five protected park estates in the Zambezi valley, Zimbabwe. *Experimental and Applied Acarology*, 75: 409 – 417. <https://doi.org/10.1007/s10493-018-0275-6>

Mpelumbe, I.S. (1983). Report on rinderpest situation in Tanzania 1982-1983 and action taken. In: *Proceedings of the first Tanzania Veterinary Association Scientific Conference*. Morogoro, Tanzania. pp 1 – 4.

Mtambo, M.M.A., Sebatwale, J.B., Kambarage, D.M., Muhairwa, A.P., Maeda, G.E., Kusiluku, C.J.M. & Kazwala, P.R. (1997). Prevalence of *Cryptosporidium* spp. oocysts in cattle and wildlife in Morogoro region, Tanzania. *Prev. Vet. Med.*, 31(3-4): 185 – 190.

Mugangu, T.E. Hunter, M.L. & Gilbert, J.R. (1995). Food, water, and predation: A study of habitat selection by buffalo in Virunga National Park, Zaire. *Mammalia*, 59: 349 - 362 (Habitat selection; Virunga NP; DR Congo).

Munag'andu, H.M., Siamudaala, V.M., Nambota, A., Bwalya, J.M., Munyeme, M., Mweene, A.S. *et al.* (2006). Disease constraints for utilization of the African buffalo (*Syncerus caffer*) on game ranches in Zambia. *Japanese Journal of Veterinary Research*, 54: 3 – 13.

Muranjan, M., Wang, Q., L.I. Yi, Hamilton, E., Otieno-Omondi, F.P., Wang, J., van Praagh, A., Grootenhuis, J.G. & Black, S.J. (1997). The trypanocidal Cape buffalo serum protein is xanthine oxidase. *Inf. Immun.*, 65: 3806 – 3814. (Trypanosomosis; Physiology)

Mutugi, J., Young, A., Maritim, A., Ndungu, S., Stagg, D. & Grootenhuis, J.G. (1988). Immunization of cattle against theileriosis using varying doses of *Theileria parva*. *International Journal for Parasitology*, 18: 453 – 461.

Mutugi, J., Young, A.S., Maritim, A.C., Linyonyi, A., Mbogo, S. & Leitch, B.L. (1988). Immunization of cattle using varying infective doses of *Theileria parva lawrencei* sporozoites derived from African buffalo (*Syncerus caffer*) and treatment with buparvaquone. *Parasitology*, 96: 391 – 402.

Myburgh, J.G., Bengis, R.G., Bester, C.J.J. & Chaparro, F. (1990). Serological reactions to *Leptospira* species in buffalo (*Syncerus caffer*) from the Kruger National Park. *Onderstepoort Journal of Veterinary Research*, 57: 281 – 282.

Naessens, J. (1991). Characterisation of lymphocyte populations in African buffalo (*Syncerus caffer*) and waterbuck (*Kobus defassa*) with workshop monoclonal antibodies. *Veterinary Immunology and Immunopathology*, 27: 153 – 162.

Naessens, J., Olubayo, R.O., Davis, W.C. & Hopkins, J. (1993). Cross-reactivity of workshop antibodies with cells from domestic and wild ruminants. *Veterinary Immunology and Immunopathology*, 39: 283 – 290.

Naidoo, R., Du Preez, P., Stuart-Hill, G., Jago, M. & Wegmann, M. (2012). Home on the range: factors explaining partial migration of African buffalo in a tropical environment. *PLoS ONE* 7(5): e36527. doi: 10.1371/journal.pone.0036527.

Nakamura, J. (1973). A programme for the rapid laboratory diagnosis of rinderpest. *Bulletin official international epizootics*, 79: 505 – 511.

Nawathe, D.R. & Lamorde, A.G. (1983). Towards global eradication of rinderpest. *Revue Scientifique et Technique, Office International des Epizooties*, 2: 997 – 1011.

Neethling, D. (1996). The African buffalo as a game ranch animal. In: Penzhorn, B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 43 – 46.

Neitz, W.O. (1933). Blood parasites of game in Zululand. Further report. *Onderstepoort*

Journal of Veterinary Research and Animal Industry, 1: 411 – 417.

Neitz, W.O. (1955). Corridor disease: A fatal form of bovine theileriosis encountered in Zululand. *Bull. epizoot. Dis. Afr.*, 3: 121 – 123.

Neitz, W.O., Canham, A.S. & Kluge, E.B. (1955). Corridor disease: A fatal form of bovine Theileriosis encountered in Zululand. *Journal of the South African Veterinary Medical Association*, 26: 79 – 87.

Ngumi, P., Young, A., Lampard, D., Mining, S., Ndungu, S. & Lesan, A. (1992). Further evaluation of the use of buparvaquone in the infection and treatment method of immunizing cattle against *Theileria parva* derived from African buffalo. *Veterinary Parasitology*, 43: 15 – 24.

Norval, R.A.I. (1983). The ticks of Zimbabwe. VII. The genus *Amblyomma*. *Zimbabwe Veterinary Journal*, 14: 6 – 18.

Norval, R.A.I. (1984). Resistance to *Boophilus decoloratus* in the African buffalo (*Syncerus caffer*). *Zimbabwe Veterinary Journal*, 15: 34 – 35.

Norval, R.A.I. (1985). The ticks of Zimbabwe. XII. The lesser known *Rhipicephalus* species. *Zimbabwe Veterinary Journal*, 16: 37 – 43.

Norval, R.A.I., Fivaz, B.H., Lawrence, J.A. & Brown, A.F. (1984). Epidemiology of tick-borne diseases of cattle in Zimbabwe. II. Anaplasmosis. *Tropical Animal Health and Production*, 16: 63 – 70.

Norval, R.A.I., Lawrence, J.A., Young, A.S., Perry, B.D., Dolan, T.T. & Scott, J. (1991). *Theileria parva*: influence of vector, parasite and host relationships on the epidemiology. *Parasitology*, 102: 347 – 356.

Norval, R.A.I. & Tebele, N. (1984). The ticks of Zimbabwe. VIII. *Rhipicephalus compositus*. *Zimbabwe Veterinary Journal*, 15: 3 – 8.

Novellie, P., Hall-Martin, A.J. & Joubert, D. (1991). The problem of maintaining large herbivores in small conservation areas: deterioration of the grassveld in the Addo Elephant National Park. *Koedoe*, 34: 41 – 50.

Novellie, P.A. (1988). The impact of large herbivores on the grassveld in the Addo Elephant National Park. *South African Journal of Wildlife Research*, 18: 6 – 10.

Novellie, P.A. & Knight, M. (1994). Repatriation and translocation of ungulates into South African National Parks: an assessment of past attempts. *Koedoe*, 37: 115 – 119.

- Nutting, W.B. & Guilfooy, F.M. (1979). *Demodex cafferi* n. sp. from the African buffalo, *Syncerus caffer*. *International Journal of Acarology*, 5: 9 – 14.
- Nyaga, P.N., Kaminjolo, J.S., Gathuma, J.M., Omuse, J.K., Nderu, F.M.K. & Gicho, J.N. (1981). Prevalence of antibodies to parainfluenza-3 virus in various wildlife species and indigenous cattle sharing the same habitats in Kenya. *Journal of Wildlife Diseases*, 17: 605 – 608.
- Nyange, J.F.C., Otaru, M.M.M. & Mbise, A.N. (1985). Incidences of abnormal wild animal mortality in northern Tanzania 1979-82. *Bulletin of Animal Health and Production in Africa*, 33: 55 – 57.
- Oberem, P.T. & Bezuidenhout, J.D. (1987). Heartwater in hosts other than domestic ruminants. *Onderstepoort Journal of Veterinary Research*, 54: 271 – 275.
- Ogunji, F.O., Akinboade, O.A. & Dipeolu, O.O. (1982). Gastrointestinal parasites and bacterial flora of wild animals in the Borgu Game Reserve in Nigeria. *International Journal of Zoonoses*, 9: 62 – 64.
- Olubayo, R.O. (1991). *Expression of trypanotolerance by African wild bovidae with special reference to the buffalo (Syncerus caffer)*. Thesis, Rijksuniversiteit, Utrecht.
- Olubayo, R.O., Grootenhuis, J.G. & Rurangirwa, F.R. (1990). Susceptibility of African buffalo and Boran cattle to intravenous inoculation with *Trypanosoma congolense* bloodstream forms. *Tropical Medicine and Parasitology*, 41: 181 – 184.
- Omphile, U.J. & Powell, J. (2002). Large ungulate habitat preference in Chobe National Park, Botswana. *J. Range Mgmt.*, 55: 341 – 349.
- Openshaw, P. (1993). Mass capture of antelope, buffalo, giraffe, and zebra. In: McKenzie, A.A. (Ed.) *The capture and care manual. Capture, care, accommodation and transportation of wild African animals*. Pretoria: Wildlife Decision Support Services CC. pp 381 – 392.
- Osterhoff, D.R. & Op't Hof, J. (1974). Genetic markers in wild animal studies. *Journal of the South African Wildlife Management Association*, 4: 71 – 73.
- Osterhoff, D.R., Schoeman, S, Op't Hof, D. & Young, E. (1974). Genetical markers as tools in wildlife population studies. *Proceedings of the 1st World Congress on Genetics Applied to Livestock Production*, pp 269 – 272.
- Osterhoff, D.R., Petrie, I.A. & Young, E. (1972). Haemoglobins in wild animals. *Journal of the South African Veterinary Medical Association*, 43: 361 – 362.
- Osterhoff, D.R. & Young, E. (1966). Blood groups in African buffalo (*Syncerus caffer*). *Xe*

Congrès européen sur les groupes sanguins et le polymorphisme biochimique des animaux, Paris, France. pp 133 – 135.

Osterhoff, D.R., Young, E. & Ward-Cox, I.S. (1970). A study of genetic blood variants in African buffalo. *Journal of the South African Veterinary Medical Association*, 41: 33 – 37.

Ottichilo, W.K. (1999). Comparison of sample and total counts of elephant and buffalo in Masai Mara, Kenya. *Afr. J. Ecol.*, 37: 435 – 438.

Ottichilo, W.K., de Leeuw, J., Skidmore, A.K., Prins, H.H.T. & Said, M.Y. (2000). Population trends of large non-migratory wild herbivores and livestock in the Masai Mara ecosystem, Kenya, between 1977 and 1997. *Afr. J. Ecol.*, 38: 202 – 216.

Owaga, M. (1984). Preliminary observations on the efficacy of olfactory attractants derived from wild hosts. *Insect Science and its Application*, 5: 87 – 90.

Owaga, M., Hassanali, A. & McDowell, P. (1988). The role of 4-cresol and 3-n-propylphenol in the attraction of tsetse flies to buffalo urine. *Insect Science and its Application*, 9:95-100.

Owen-Smith, R.N. (1983). *Management of large mammals in African conservation areas*. Pretoria: HAUM.

Owen-Smith, R.N. (1983). Dispersal and the dynamics of large herbivores in enclosed areas: Implications for management. In: Owen-Smith N. (Ed.) *Management of large mammals in African conservation areas*. Pretoria: HAUM. pp 127 – 140.

Owen-Smith, R.N. (1988). *Megaherbivores. The influence of very large body size on ecology*. Cambridge: Cambridge University Press.

Owen-Smith, R.N. (1989). Morphological factors and their consequences for resource partitioning among African savanna ungulates: a simulation modelling approach. In: Morris, D.W., Abramsky, Z., Fox, B.J. & Willig, M.R. (Eds) *Patterns in the structure of mammalian communities*. Lubbock: Texas Tech University Press.

Owen-Smith, R.N. & Cumming, D.H.M. (1996). Comparative foraging strategies of grazing ungulates in African savanna grasslands. *Proceedings of the XVII International Grasslands Congress*. pp 691 – 698.

Owiny, O.D., Barry, D.M., Agaba, M., Godke, R.A. 2009. In vitro production of cattle buffalo hybrid embryos using cattle oocytes and African buffalo (*Syncerus caffer caffer*) epididymal sperm. *Theriogenology* 71:884-894.

Paling, R.W., Grootenhuis, J.G. & Young, A.S. (1981). Isolation of *Theileria mutans* from Kenyan buffalo, and transmission by *Amblyomma gemma*. *Veterinary Parasitology*, 8: 31 – 37.

- Paling, R.W., Jessett, D.M. & Heath, B.R. (1979). The occurrence of infectious diseases in mixed farming of domesticated wild herbivores and domestic herbivores, including camels, in Kenya. Viral diseases: A serological survey with special reference to foot and mouth disease. *Journal of Wildlife Diseases*, 15: 351 – 359.
- Paling, R.W., Waghela, S., Macowan, K.J. & Heath, B.R. (1988). The occurrence of infectious diseases in mixed farming of domesticated wild herbivores and livestock in Kenya. II. Bacterial diseases. *Journal of Wildlife Diseases*, 24: 308 – 316.
- Paterson, W. (1789). *A narrative of four journeys into the country of the Hottentots and Caffraria, In the years 1777, 1778 and 1779*. London: J. Johnson.
- Payne, H.C. (1957). Our National Parks. *African Wildlife*, 11: 181 – 190.
- Payne, H.C. (1961). Our National Parks. *African Wildlife*, 15: 181 – 190.
- Paynter, D. & Nussey, W. (1986). *Kruger - Portrait of a National Park*. Johannesburg: MacMillan.
- Peirce, M., Irvin, A.D. & Purnell, R.E. (1973). Observations on the behaviour of *Hyalomma albiparmatum* Schulze and Schlottke, 1930. *Bulletin of Epizootic Diseases of Africa*, 21: 29 – 31.
- Pennycuik, C.J. & Western, D. (1972). An investigation of some sources of bias in aerial transect sampling of large mammal populations. *East African Wildlife Journal*, 10: 175 – 191.
- Penzhorn, B.L. (1970). A summary of the re-introduction of ungulates into South African national parks (to 31 December 1970). *Koedoe*, 14: 145 – 159.
- Penzhorn, B.L. (2000). Coccidian oocyst and nematode egg and counts of free-ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa. *J. S. Afr. Vet. Ass.* 71: 106-108
- Perrin, M.R. & Campbell, B.S. (1979). Key to the mammals of the Andries Vosloo Kudu Reserve (eastern Cape), based on their hair morphology, for use in predator scat analysis. *South African Journal of Wildlife Research*, 10: 1 – 14.
- Perrin, M.R. & Brereton-Stiles, R. (1999). Habitat use and feeding behaviour of the buffalo and the white rhinoceros in the Hluhluwe-Umfolozi Game Reserve. *S. Afr. J. Wildl. Res.*, 29: 72 – 80. (Hluhluwe-Umfolozi Park; South Africa; Habitat use; Feeding behaviour)
- Perrotin, C., Graber, M., Thal, J.A. & Petit, J. (1978). Sarcosporidiosis in African buffalo (*Syncerus caffer*). *Revue d'Elevage et de Medecine Veterinaire des Pays Tropicaux*, 31: 423 –

Peters, J. (1988). Osteomorphological features of the appendicular skeleton of African buffalo, *Syncerus caffer* (Sparrman, 1779) and of domestic cattle, *Bos primigenius* F. *Taurus* Bojanus, 1827. *Zeitschrift für Säugetierkunde*, 53(2): 108 – 123.

Petersen, J.C.B. (1971). A bibliography relating to the ecology and energetics of East African large mammals. *East African Wildlife Journal*, 9: 1 – 23.

Petrick, S.W. (1977). The life span of mammals. *Journal of the South African Veterinary Association*, 48: 151 – 154.

Petrides, G.A. & Swank, W.G. (1965). Population densities and range-carrying capacity for large mammals in Queen Elizabeth Park, Uganda. *Zoologica Africana*, 1: 209 – 225.

Pfitzer, S., Last, R. & de Waal, D.T. (2004). Possible death of a buffalo calf (*Syncerus caffer*) due to suspected heartwater (*Ehrlichia ruminantium*). *J. S. Afr. vet. Ass.* 75: 54-57

Pfitzer, S., Last, R., Espie, I. & Van Vuuren, M. (2015). Malignant catarrhal fever: An emerging disease in the African buffalo (*Syncerus caffer*). *Transboundary and Emerging Diseases* 62(3): 288 – 294. <https://doi.org/10.1111/tbed.12131>

Phelps, R.J. & Vale, G.A. (1978). Studies on populations of *Glossina morsitans morsitans* and *G. pallidipes* (Diptera: Glossinidae) in Rhodesia. *Journal of Applied Ecology*, 15: 743 – 760.

Pienaar, U. de V. (1963). The large mammals of the Kruger National Park: their distribution and present-day status. *Koedoe*, 6: 1 – 37.

Pienaar, U. de V. (1968). Recent advances in the field immobilization and restraint of wild ungulates in South African national parks. *Acta Zoologica et Pathologica Antverpiensia* 46: 17 – 38.

Pienaar, U. de V. (1969). Predatory-prey relationships amongst the larger mammals of the Kruger National Park. *Koedoe*, 12: 108 – 187.

Pienaar, U. de V. (1969). The use of drugs in the field immobilization and restraint of large wild animals in South African National Parks. *Acta Zoologica et Pathologica Antverpiensia*, 48: 163 – 177.

Pienaar, U. de V. (1969). Observations on the development biology, growth and some aspects of the population ecology of African buffalo in the Kruger National Park. *Koedoe*, 12: 28 – 52.

Pienaar, U. de V. (1974). Epilogue: From 1946 to the present day. In: Stevenson-Hamilton J. *South African Eden*. London: William Collins and Sons.

Pienaar, U. de V., van Niekerk, J.W., Young, E., van Wyk, P. & Fairall, N. (1966). Neuroleptic narcosis of large herbivores in South African national parks with the new potent morphine analogues M99 and M193. *Journal of the South African Veterinary Medical Association*, 37: 277 – 291.

Pienaar, U. de V., van Wyk, P. & Fairall, N. (1966). An aerial census of elephant and buffalo in the Kruger National Park, and the implications thereof on intended management schemes. *Koedoe*, 9: 40 – 107.

Pinder, M., Withey, K.S. & Roelants, G.E. (1981). *Theileria parva* parasites transform a subpopulation of T lymphocytes. *Journal of Immunology*, 127: 389 – 390.

Pinto, A.A. & Hedger, R.S. (1978). The detection of antibody to virus-infection associated (VIA) antigen in various species of African wildlife following natural and experimental infection with foot and mouth disease virus. *Archives of Virology*, 57: 307 – 314.

Pitchford, R.J. (1976). Preliminary observations on the distribution, definitive hosts and possible relation with other schistosomes, of *Schistosoma margrebowiei*, Le Roux, 1933 and *Schistosoma leiperi*, Le Roux, 1955. *Journal of Helminthology*, 50:111 – 123.

Pitchford, R.J., Visser, P.S., du Toit, J.F., Pienaar, U. de V. & Young, E. (1973). Observations on the ecology of *Schistosoma mattheei* Veglia & le Roux, 1929, in portion of the Kruger National Park and surrounding area using a new quantitative technique for egg output. *Journal of the South African Veterinary Medical Association*, 44: 405 – 420.

Pitchford, R.J., Visser, P.S., Pienaar, U. de V. & Young E. (1974). Further observations on *Schistosoma mattheei*, Veglia & Le Roux, 1929, in the Kruger National Park. *Journal of the South African Veterinary Association*, 45: 211 – 218.

Pitchford, R.J. & Wolstenholme, B. (1977). Further observations on the relationship and distribution of *Schistosoma margrebowiei* and *S. leiperi* in central southern Africa. *Journal of Helminthology*, 51: 327 – 336.

Plumptre, A.J. (1994). The effects of trampling damage by herbivores on the vegetation of the Parc National des Volcans. *African Journal of Ecology*, 32: 115 – 129.

Plumptre, A.J. & Harris, S. (1995). Estimating the biomass of large mammalian herbivores in a tropical montane forest. *Journal of Applied Ecology*, 32: 111 – 120.

Plumptre, A.J. (1996). Modelling the impact of large herbivores on the food supply of mountain gorillas and implications for management. *Biol. Conserv.*, 75: 147 – 155.

Plumptre, A.J. (1996). Modelling the impact of large herbivores on the food supply of mountain

gorillas and implications for management. *Biol. Conserv.*, 75: 147 – 155.

Plumptre, A.J, Bizumuremyi, J.B., Uwimana, F. & Ndaruhebeye, J.D. (1997). The effect of the Rwandan civil war on poaching of ungulates in the Parc National des Volcans. *Oryx*, 31: 265 – 273.

Pollock, N.C. (1969). Some observations on game ranching in southern Africa. *Journal of Zoo and Wildlife Medicine*, 2: 18 – 24.

Pospisil, J., Kase, F. & Vahala, J. (1985). Basic haematological values in the African buffalo (*Syncerus caffer caffer*) and in the red buffalo (*Syncerus caffer nanus*). *Comparative Biochemistry and Physiology, A Comparative Physiology*, 82: 495 – 498.

Potgieter, F.T., Roos, J.A. & de Vos, A.J. (1985). Implications of chemotherapy of *Theileria lawrencei* infections (Corridor disease) in cattle. *South African Journal of Science*, 81:44.

Potgieter, F.T., Stoltsz, W.H., Blouin, E.F. & Roos, J.A. (1988). Corridor disease in South Africa: a review of the current status. *Journal of the South African Veterinary Association*, 59: 155 – 160.

Praveena, P.E., Periasamy, S., Kumar, A.A. & Singh, N. (2014). Pathology of experimental infection by *Pasteurella multocida* serotype A: 1 in buffalo calves. *Veterinary Pathology*, 51(6): 1109 – 1112. <https://doi.org/10.1177/0300985813516647>

Prins, H.H.T. (1989). Buffalo herd structure and its repercussions for condition of individual African buffalo cows. *Ethology*, 81: 47 – 71.

Prins, H.H.T. (1992). The pastoral road to extinction: competition between wildlife and traditional pastoralism in East Africa. *Environmental Conservation*, 19: 117 – 124.

Prins, H.H.T. (1996). *Ecology and behaviour of the African buffalo: social inequality and decision making*. In: Putman, R.J. (Ed) Chapman & Hill Wildlife ecology and behaviour series. London/Glasgow: Chapman & Hill.

Prins, H.H.T. (1989). Condition changes and choice of social environment in African buffalo bulls. *Behaviour*, 108: 297 – 324.

Prins, H.H.T. & Beekman, J.H. (1989). A balanced diet as a goal for grazing: the food of the Manyara buffalo. *African Journal of Ecology*, 27: 241 – 259.

Prins, H.H.T. & Douglas-Hamilton, I. (1990). Stability in a multi-species assemblage of large herbivores in East Africa. *Oecologia*, 83: 392 – 400.

Prins, H.H.T. & Iason, G.R. (1989). Dangerous lions and nonchalant buffalo. *Behaviour*,

108: 262 – 296.

Prins, H.H.T. & Weyerhaeuser, F.J. (1987). Epidemics in populations of wild ruminants: anthrax and impala, rinderpest and buffalo in Lake Manyara National Park, Tanzania. *Oikos*, 49: 28 – 38.

Puffer, A., de la Rey, R., Hansen, H., Grobler, D., Hofmeyr, M., Malan, J.H., Armstrong, D.L., Dankoff, S., Rasmussen, L., York, D., Zimmermann, D. & Loskutoff, N.M. (2001). Choice of chemicals used in immobilization protocols can significantly affect semen quality in ejaculates collected from free-ranging African buffalo (*Syncerus caffer*) (abstr.). *Theriogenology*, 55:398.

Quandt, S., Bengis, R.G., Stolte, M., Odening, K. & Bockhardt, I. (1997). *Sarcocystis* infection of the African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa. *Acta Parasitol.*, 42: 68 – 72.

Raath, J.P. (1993). Transportation of the African buffalo *Syncerus caffer*. In: McKenzie, A.A. (Ed.) *The capture and care manual. Capture, care, accommodation and transportation of wild African animals*. Pretoria: Wildlife Decision Support Services CC. pp 590 – 595.

Raath, J.P. (1996). Boma management and transportation of the African buffalo. In: Penzhorn, B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 54 – 61.

Raina, N., Lubbe, K., Vajta, G., Bissett, C., Theunissen, W., Mortimer, D., Friedmann, Y. & Bartels, P. (2001). In vitro maturation, fertilisation and blastocyst development in African buffalo (*Syncerus caffer*) (abstr.) *Theriogenology*, 55:399.

Rapley, W.A. & Mehren, K.G. (1975). The clinical usage of Rompun (xylazine) in captive ungulates at the Metropolitan Toronto Zoo. *American Association of Zoo Veterinarians, Annual Proceedings*, 16 – 39.

Rasul, Z., Ahmed, N. & Anzar, M. (2007). Antagonist effect of DMSO on the cryoprotection ability of glycerol during cryopreservation of buffalo sperm. *Theriogenology*, 68: 813 – 819.

Rautenbach, I.L. (1978). Ecological distribution of the mammals of the Transvaal (Vertebrata: Mammalia). *Annals of the Transvaal Museum*, 31: 131 – 156.

Rautenbach, I.L. (1978). A numerical appraisal of Southern African biotic zones. *Bulletin of the Carnegie Museum of Natural History*, 6: 175 – 187.

Reduth, D., Grootenhuis, J.G., Olubayo, R.O., Muranjan, M., Otieno-Omondi, F.P., Morgan, G.A., Brun, R., Williams, D.J.L. & Black, S.J. (1994). African buffalo serum contains novel trypanocidal protein. *Journal of Eukaryotic Microbiology*, 41: 95 – 103.

- Renwick, A.R., White, P.C.L. & Bengis, R.G. (2007). Bovine tuberculosis in southern African wildlife: a multi-species host-pathogen system. *Epidemiology and Infection*, 135: 529 – 554.
- Ritz, L.R., Glowatski-Mullis, M.L., MacHugh, D.E. & Gaillard, C. (2000). Phylogenetic analysis of the tribe Bovini using microsatellites. *Anim. Genet.*, 32: 178 – 185.
- Ritz, F., Oggin, C.H.F., Akaya, P.I.V.M., Shabalala, P.R.T.T., Miguel, E., Grosbois, V. *et al.* (2013). Contacts and foot and mouth disease transmission from wild to domestic bovines in Africa. *Ecosphere*, 4(4): 1 – 32. <https://doi.org/10.1890/ES12-00239.1>
- Robinette, W.L. (1963). Weights of some large mammals of Northern Rhodesia. *Puku*, 1: 207 – 215.
- Roberts, A. (1937). The South African antelopes. *South African Journal of Science*, 33: 771 – 787.
- Roberts, A. (1948). The Cape buffalo (*Syncerus caffer*). *African Wildlife*, 2: 39 – 49.
- Roberts, A. (1954). *The mammals of South Africa*. Cape Town: Cape Times Ltd.
- Robinette, W.L. (1963). Weights of some of the larger mammals of N. Rhodesia. *The Puku*, 1: 207 – 215.
- Rodgers, W.A. (1975). Mineral content of some soils, range grasses and wild animals from southern Tanzania. *East African Agricultural and Forestry Journal*, 41: 147 – 150.
- Rodwell, T.C., Kriek, N.P., Bengis, R.G., Whyte, I.J., Viljoen, P.C., de Vos, V. & Boyce, W.M. (2001). Prevalence of bovine tuberculosis in African buffalo at Kruger National Park. *J. Wildl. Dis.*, 37: 258 – 264.
- Rodwell, T.C., Whyte, I.J., Boyce, W.M. (2001). Evaluation of population effects of bovine tuberculosis in free-ranging African buffalo (*Syncerus caffer*). *J. Mammal.*, 82: 231 – 238.
- Rollinson, D.H.L. (1962). Brucella agglutinins in East African game animals. *Veterinary Record*, 74:904.
- Ross, I.C., Field, C.R. & Harrington, G.N. (1976). The savanna ecology of Kidepo Valley National Park, Uganda. iii. Animal populations and park management recommendations. *East African Wildlife Journal*, 14: 35 – 48.
- Rossiter, P.B., Gumm, I.D. & Stagg, D.A. (1989). Isolation of bovine herpesvirus-3 from African buffaloes (*Syncerus caffer*). *Research in Veterinary Science*, 46: 337 – 343.

- Rossiter, P.B., Jessett, D.M., Wafula, J.S., Karstad, L., Chema, S., Taylor, W.P., Rowe L., Nyange, J.C., Oturu, M., Mumbala, M. & Scott, G.R. (1983). Re-emergence of rinderpest as a threat in East Africa since 1979. *Veterinary Record*, 113: 459 – 461.
- Rossiter, P.B., Karstad, L., Jessett, D.M., Yamamoto, T., Dardiri, A.H. & Mushi, E.Z. (1983). Neutralising antibodies to rinderpest virus in wild animal sera collected in Kenya between 1970 and 1981. *Preventive Veterinary Medicine*, 1: 257 – 264.
- Rossiter, P.B., Taylor, W.P., Bwangamoi, B., Ngereza A.R.H., Moorhouse, P.D.S., Haresnape, J.M., Wafula, J.S., Nyange, J.F.C. & Gumm, I.D. 1987. Continuing presence of rinderpest virus as a threat in East Africa, 1983-1985. *Veterinary Record*, 120: 59 – 62.
- Roth, H.H. & Hoppe-Dominik, B. (1987). Repartition and status of large mammals in the Ivory Coast. *Mammalia*, 51(1): 89 – 109.
- Roug, A., Muse, E.A., Clifford, D.L., Larsen, R., Paul, G., Mathayo, D., Mpanduji, D., Mazet, J.A.K., Kazwala, R., Kiwango, H. & Smith, W. (2020). Seasonal movements and habitat use of African buffalo in Ruaha National Park, Tanzania. *BMC Ecology*, 20 (1), 6.
<https://doi.org/10.1186/s12898-020-0274-4>
- Rowe, L.W.R., Hedger, R.S. & Smale, C. (1978). The isolation of a *Chlamydia psittaci*-like agent from a free-living African buffalo (*Syncerus caffer*). *Veterinary Record*, 103: 13 – 14.
- Rowland, D.L., Helgeson, V.S. & Cox, C.C. (1984). Temporal patterns of parturition in mammals in captivity. *Chronobiologia*, 11: 31 – 39.
- Rudnai, J. (1974). The pattern of lion predation in Nairobi National Park. *East African Wildlife Journal*, 12: 213 – 225.
- Rweyemamu, M.M. (1974). The incidence of infectious bovine rhinotracheitis antibody in Tanzanian game animals and cattle. *Bulletin of Epizootic Diseases of Africa*, 22: 19 – 22.
- Ryan, S.J. & Jordaan, W. (2005) Activity patterns of African Buffalo (*Syncerus caffer*) in the Lower Sabie region, Kruger National Park, South Africa. *Koedoe*, 48, 117–124.
- Ryan, S., Knechtel, C. & Getz, W. (2007). Ecological cues, gestation length, and birth timing in African buffalo (*Syncerus caffer*). *Behavioral Ecology*, 18: 635 – 644.
- Sachs, R. (1967). Live weights and body measurements of Serengeti game animals. *East African Wildlife Journal*, 5: 24 – 36.
- Sachs, R. (1976). Filariids in the body-cavities, subcutaneous connective tissue and other organ systems of wild herbivores in East Africa. In: Ippen, R. & Schroder, H.D. (Eds) *Diseases of Zoo Animals. Proceedings of the XVIIIth International Symposium*. Innsbruck. pp 195 – 203.

- Saini, R. (1986). Antennal responses of *Glossina morsitans morsitans* to buffalo urine, a potent olfactory. *Insect Science and its Application*, 7: 771 – 775.
- Sakata, K., Sakata, A., Machange, J.H. & Makita, T. (1997). Tick infestation of African buffaloes (*Syncerus caffer caffer*) in Kilombero Valley, Tanzania. *Jap. J. Zoo Wildl. Med.*, 2: 91 – 99.
- Sandground, J.H. (1938). On the occurrence of *Elaeophora poeli* (Vryburg, 1879) Railliet and Henry, 1912 (Filariidae) in the African buffalo (*Syncerus caffer* (Sparrman)=*Bubalus caffer*) with a discussion on its systematic relationship. *American Journal of Tropical Medicine*, Supplement. 18: 108 – 115.
- Sangare, O., Bastos, A.D.S., Marquardt, O., Venter, E.H., Vosloo, W. & Thomson, G.R. (2001). Molecular epidemiology of serotype O foot-and-mouth disease virus with emphasis on West and South Africa. *Virus Genes*, 22: 345 – 351.
- Sasaki, H., Kang'-Ethe, E.K. & Kaburia, H.F.A. (1995). Blood meal sources of *Glossina pallidipes* and *G. longipennis* (Diptera: Glossinidae) in Nguruman, southwest Kenya. *Journal of Medical Entomology*, 32: 390 – 393.
- Satterfield, W.C. & O'rourke, K. (1981). Rapid serum tests for adequate transfer of colostral antibody in neonate non-domestic bovids: Banteng (*Bos banteng*); Yak (*Bos mutus*); American bison (*Bison bison*); Congo buffalo (*Syncerus caffer*). *Journal of Zoo Animal Medicine*, 12: 31 – 33.
- Schaftenaar, E. (2002). Use of vaccination against foot and mouth disease in zoo animals, endangered species and exceptionally valuable animals. *Rev. Sci. Techn. Off. int. Epizoot.*, 21: 613 – 623.
- Schaller, G.B. (1972). *The Serengeti Lion, a study of predator-prey relationships*. Chicago: University of Chicago Press.
- Scheel, D. (1993). Watching for lions in the grass: the usefulness of scanning and its effects during hunts. *Animal Behaviour*, 46: 695 – 704.
- Scheel, D. & Packer, C. (1991). Group hunting behaviour of lions: a search for cooperation. *Animal Behaviour*, 41: 697 – 709.
- Schiemann, B., Gwamaka, B. & Kalunda, M. (1972). Pathogenicity for a buffalo (*Syncerus caffer*) of Allerton-type herpes virus isolated from a Tanzanian buffalo. *Journal of Wildlife Diseases*, 8: 141 – 145.
- Schreiber, A. & Goltenboth, R. (1990). The haemoglobins of wild cattle (*Bovini* Simpson,

1945). *Zeitschrift für Säugetierkunde*, 55: 276 – 283.

Schreuder, B., Uilenberg, G. & Tondeur, W. (1977). Studies on Theileriidae (Sporozoa) in Tanzania. VIII. Experiments with African buffalo. *Tropenmedizin und Parasitologie* 28: 367 – 371.

Schwabe, C.W. (1984). Human health costs of animal disease. In: *Veterinary medicine and human health*. 3rd Ed. Baltimore: Williams & Wilkins. pp 16 – 39.

Sclater, W.I. (1900). *The fauna of South Africa: Mammals. Vol I. Primates, Carnivora and Ungulata*. London: R.H. Porter.

Senzota, R.B.M. & Mtahko, G. (1990). Effect on wildlife of a water-hole in Mikumi National Park, Tanzania. *African Journal of Ecology*, 28: 147 – 151.

Sey, O. & Graber, M. (1979). *Cotylophoron macrosphinctris* sp.n. (Trematoda: Paramphistomata) from the African buffalo, *Bubalus (Syncerus) caffer* Sparman. *Annales de Parasitologie Humaine et Comparee*, 54: 297 – 302.

Sey, O. & Graber, M. (1979). Examination of amphistomes (Trematoda: Paramphistomidae) of some African mammals. *Revue d'Elevage et de Medecine Veterinaire des Pays Tropicaux*, 32: 161 – 167.

Shah, S.A.H., Andrabi, S.M.H. & Qureshi, I.Z. (2016). Effect of equilibration times, freezing, and thawing rates on post-thaw quality of buffalo (*Bubalus bubalis*) bull spermatozoa. *Andrology*, 4: 972 – 976.

Shanthikumar, S.R. & Atilola, M.A.O. (1990). Outbreaks of rinderpest in wild and domestic animals in Nigeria. *Veterinary Record*, 126: 306 – 307.

Shanthikumar, S.R., Malachi, S.A. & Majiyagbe, K.A. (1985). Rinderpest outbreak in free-living wildlife in Nigeria. *Veterinary Record*, 117: 469 – 470.

Shaw, D.G., Kidson, A., van Schalkwyk, J.O., Bartels, P., Loskutoff, N.M., Bezuidenhout, C., Rogers, P., Barry, D.M. & Lishman, A.W. (1995). In vitro production of African buffalo (*Syncerus caffer*) embryos derived from follicular oocytes and epididymal sperm. *Theriogenology*, 43: 322.

Shepherd, A.J., Swanepoel, R., Shepherd, S.P., McGillivray, G.M. & Searle, L.A. (1987). Antibody to Crimean-Congo haemorrhagic fever virus in wild mammals from southern Africa. *American Journal of Tropical Medicine and Hygiene*, 36: 133 – 142.

Sheppe, W. & Haas, P. (1976). Large mammal populations on the lower Chobe Rivier, Botswana. *Mammalia*, 40: 223 – 243.

- Sheppe, W. & Osborne, T. (1971). Patterns of use of a flood plain by Zambian mammals. *Ecological Monographs*, 41: 181 – 205.
- Shifrine, M., Stone, S.S. & Staak, C. (1970). Contagious bovine pleuropneumonia in African buffalo (*Syncerus caffer*). *Bulletin of Epizootic Diseases of Africa*, 18: 201 – 205.
- Shoho, C. (1996). *Setaria* species from water buffalo of southeast Asia and from caffer buffalo of Africa: comparative study with *Setaria* species from cattle of the respective areas. *Annales de Parasitologie Humaine et Comparee*, 51: 577 – 588.
- Sidney, J. (1996). The past and present distribution of some African ungulates. *Transactions of the Zoological Society of London*, 30: 1 – 396.
- Simonsen, B.T., Siegismund, H.R. & Arctander, P. (1998). Population structure of African buffalo inferred from mtDNA sequences and microsatellite loci: high variation but low differentiation. *Mol. Ecol.*, 7: 225 – 237. (Population structure; DNA sequences; microsatellite)
- Simpson, V.R. (1978). Serological evidence of bluetongue in game animals in Botswana. *Tropical Animal Health and Production*, 10: 55 – 60.
- Sinclair, A.R.E. (1969). Serial photographic methods for population age and sex structure. *East African Agricultural and Forestry Journal*, 34: 87 – 93.
- Sinclair, A.R.E. (1973). Regulation, and population models for a tropical ruminant. *East African Wildlife Journal*, 11: 307 – 316.
- Sinclair, A.R.E. (1973). Population increases of buffalo and wildebeest in the Serengeti. *East African Wildlife Journal*, 11: 93 – 107.
- Sinclair, A.R.E. (1974). The natural regulation of buffalo populations in East Africa II. Reproduction, recruitment and growth. *East African Wildlife Journal*, 12: 169 – 183.
- Sinclair, A.R.E. (1974). The natural regulation of buffalo populations in east Africa. I. Introduction and resource requirements. *East African Wildlife Journal*, 12: 135 – 154.
- Sinclair, A.R.E. (1974). The natural regulation of buffalo populations in East Africa. III. Population trends and mortality. *East African Wildlife Journal*, 12: 185 – 200.
- Sinclair, A.R.E. (1974). The natural regulation of buffalo populations in East Africa. IV. The food supply as a regulating factor, and competition. *East African Wildlife Journal*, 12: 291 – 311.
- Sinclair, A.R.E. (1974). The social organization of the East African buffalo (*Syncerus caffer*

- (Sparman)). In: Geist V & Walther F. (Eds) The behaviour of ungulates and its relation to management. *IUCN Publications New Series*, 24: 676 – 689.
- Sinclair, A.R.E. (1977). *The African buffalo: a study of resource limitation of populations*. Chicago: University of Chicago Press.
- Sinclair, A.R.E. (1983). Tropical savannas. In: Bourliere F. (Ed.) *Ecosystems of the World*. New York: Elsevier Publishing Company. pp 401 – 426.
- Sinclair, A.R.E. & Duncan, P. (1972). Indices of condition in tropical ruminants. *East African Wildlife Journal*, 10: 143 – 146.
- Sinclair, A.R.E. & Gwynne, M.D. (1972). Food selection and competition in the East African buffalo (*Syncerus caffer* Sparman). *East African Wildlife Journal*, 10: 77 – 89.
- Sinclair, A.R.E. & Gwynne, M.D. (1972). Food selection and competition in the East African buffalo (*Syncerus caffer* Sparman). *East African Wildlife Journal*, 10: 77 – 89.
- Sinclair, A.R.E. & Norton-Griffiths, M. (1982). Does competition or facilitation regulate migrant ungulate populations in the Serengeti? A test of hypotheses. *Oecologia*, 53: 364 – 369.
- Sinclair, A.R.E., Mduma, S.A.R. & Arcese, P. (2000). What determines phenology and synchrony of ungulate breeding in Serengeti? *Ecology*, 81: 2100 – 2111.
- Sinsin, B., Tehou, A.C., Daouda, I. & Saidou, A. (2002). Abundance and species richness of larger mammals in Pendjari National Park in Benin. *Mammalia*, 66: 369 – 380.
- Sisson, D., Hufschmid, J., Jolles, A., Beechler, B. & Jabbar, A. (2017). Ticks and tick-borne diseases molecular characterisation of Anaplasma species from African buffalo (*Syncerus caffer*) in Kruger National Park, South Africa. *Ticks and Tick-Borne Diseases*, 8(3): 400 – 406. <https://doi.org/10.1016/j.ttbdis.2017.01.003>
- Skaiff, S.H. (1996). *What animal is that?* Cape Town: Hortors.
- Skinner, J.D. & Smithers, R.H.N. (1990). *The mammals of the Southern African subregion*. Pretoria: University of Pretoria
- Skinner, J. D., Dolt, H. M., Matthee, A. & Hunt, L. (2006). Captive breeding of the white rhinoceros, *Ceratotherium simum*, and the Cape buffalo, *Syncerus caffer*. *Onderstepoort Journal of Veterinary Research*, 73: 237 – 239.
- Smallegange, I.M. & Brunsting, A.M.H. (2002). Food supply and demand, a simulation model of the functional response of grazing ruminants. *Ecol. Modelling*, 149: 179 – 192.

- Smith, G.E., Anderson, E.C., Burridge, M.J., Peter, T.F. & Mahan, S.M. (1998). Growth of *Cowdria ruminantium* in tissue culture endothelial cell lines from wild African mammals. *J. Wildl. Dis.*, 34: 297 – 304. (Tissue culture; *Cowdria ruminantium*; Heartwater)
- Smith, R.L., Lubbe, K., Bartels, P. & Godke, R.A. (1999). Evaluating in vitro maturation time and in vitro fertilization rate of African buffalo (*Syncerus caffer*) oocytes (abstr.). *Theriogenology*, 51: 294.
- Smithers, R.H.N. (1986). *Land Mammals of southern Africa*. Johannesburg: Macmillan.
- Smithers, R.H.N. (1992). *Land Mammals of southern Africa: A field guide*. Cape Town: Credo Press.
- Smithers, R.H.N. & Wilson, V.J. (1979). Checklist and atlas of the mammals of Zimbabwe Rhodesia. *Memoirs of the National Museums and Monuments of Rhodesia*, 9: 1 – 147.
- Smuts, G.L. (1974). Game movements in the Kruger National Park and their relationship to the segregation of populations and the allocation of culling compartments. *Journal of the South African Wildlife Management Association*, 4: 51 – 58.
- Smuts, G.L. (1975). An appraisal of Naloxone hydrochloride as a narcotic antagonist in the capture and release of wild herbivores. *Journal of the American Veterinary Medical Association*, 167: 559 – 561.
- Smuts, G.L. (1982). *Lion*. Johannesburg: Macmillan.
- Snow, W.F., Tarimo, S.A., Staak, C. & Butler, L. (1988). The feeding habits of the tsetse, *Glossina pallidipes* (Austen) on the south Kenya coast, in the context of its host range and trypanosome infection rates in other parts of East Africa. *Acta Tropica*, 45: 339 – 349.
- Solounias, N., Fortelius, M. & Freeman, P. (1994). Molar wear rates in ruminants: a new approach. *Annales Zoologici Fennici*, 31: 219 – 227.
- Soulsby, E.J.L. (1968). *Helminths, Arthropods and Protozoa of domestic animals*. London: Baillière, Tindall and Cassell.
- Spaan, R.S., Epps, C.W., Ezenwa, V.O. and Jolles, A.E. (2015) Why did the buffalo cross the park? Intrinsic and extrinsic drivers of dispersal. In prep.
- Spinage, C.A. (1972). African ungulate life tables. *Ecology*, 53: 645 – 652.
- Spinage, C.A. (1973). The role of photoperiodism in the seasonal breeding of tropical ungulates. *Mammal Review*, 3: 71 – 84.

Spinage, C.A. & Brown, A.B. (1988). Age determination of the West African buffalo *Syncerus caffer brachyceros* and the constancy of tooth wear. *African Journal of Ecology*, 26: 221 – 227.

Stagg, D.A. (1981). The infectivity of *Theileria* sporozoites for bovid leucocytes in vitro. In: Irvin, A.D., Cunningham, M.P. & Young, A.S. (Eds) *Advances in the control of Theileriosis*. The Hague/Boston/ London: Martinus Nijhoff Publishers. pp 132 – 135.

Stagg, D.A., Brown, C.G.D., Crawford, J.G., Kanhai, G.K. & Young, A.S. (1974). In vitro cultivation of *Theileria lawrencei*-infected lymphoblastoid cell lines derived from a buffalo (*Syncerus caffer*). *Research in Veterinary Science*, 16: 125 – 127.

Stagg, D.A., Conrad, P.A. & Rossiter, P.B. (1987). Isolation of *Theileria parva lawrencei*-infected lymphoid cell lines from free-ranging African buffaloes (*Syncerus caffer*). *Research in Veterinary Science*, 43: 124 – 126.

Stark, M.A. (1986). The numbers, seasonal distribution patterns, densities and biomass of the large herbivores, Benoue National Park, Cameroon. *Mammalia*, 50: 341 – 350.

Stark, M.A. (1986). Daily movement, grazing activity and diet of savanna buffalo, *Syncerus Caffer brachyceros*, in Benoue National Park, Cameroon. *African Journal of Ecology*, 24: 255 – 262.

Steenkamp, K., Webb, E.C., de Vos V., van Vuuren, C.J. (1999). The effect of age, sex and habitat on long-chain fatty acid composition of fat depots in the African buffalo (*Syncerus caffer*). *S. Afr. J. Anim. Sci.*, 29(ISRP): 218 – 220.

Steenkamp, K., Webb, E.C., de Vos V. & van Vuuren, C.J. (1999). Long-chain fatty acid composition of different fat depots in the African buffalo (*Syncerus caffer*). *S. Afr. J. Anim. Sci.*, 29: 223 – 224.

Stegmann, G.F. (2004). Midazolam/ketamine induction and isoflurane maintenance of anaesthesia in a 2-month-old, hand-raised African buffalo (*Syncerus caffer*). *Jl S. Afr. vet. Ass.*, 75: 43 – 44.

Stehlikm, M. (1978). Accidents and injuries in ungulates in Dvur Kralove Zoo in 1973 – 1976. *Erkrankungen der Zootiere*: 51 – 56.

Steinhauer-Burkart, B. (1987). Census and distribution of the large mammals in the Comoe National Park (Ivory Coast). Notes on the herd size and breeding seasons. *Mammalia*, 51: 283 – 303,

Steuber, S., Hauschild, S., Ahmed, J. & Schein, E. (1987). Susceptibility of different mammalian lymphocytes to sporozoites of *Theileria annulata*. *Zentralblatt für Bakteriologie Mikrobiologie und Hygiene, A* 265: 514 – 515.

Stevenson-Hamilton, J. (1911). The relation between game and tsetse flies. *Bulletin of Entomological Research*, 2: 113 – 118.

Stevenson-Hamilton, J. (1912). *Animal life in Africa*. London: Heinemann.

Stevenson-Hamilton, J. (1925). An animal sanctuary for the Union: a national asset. The story of the Transvaal Game Reserve: the question of a National Park. *South African Journal of Industries*, 8: 155 – 168.

Stevenson-Hamilton, J. (1939). The health of wild animals. *Journal of the South African Veterinary Medical Association*, 10: 56 – 64.

Stevenson-Hamilton, J. (1954). *Wild life in South Africa*. 3rd Ed. London: Cassell

Stewart, D.R.M. & Stewart, J. (1963). The distribution of some large mammals in Kenya. *Journal of the East African Natural History Society*, 24: 1 – 52.

Stewart, D.R.M. & Zaphiro, D.R.P. (1963). Biomass and density of wild herbivores in different East African habitats. *Mammalia*, 27: 483 – 496.

Stolte, M. & Ito, S. (1996). A comparative ultrastructural study of the parotid gland acinar cells of nine wild ruminant species (Mammalia, Artiodactyla). *Eur. J. Morphol.*, 34: 79 – 85.

Stoltz, W.H. (1989). Theileriosis in South Africa: a brief review. *Revue Scientifique et Technique, Office International des Epizooties*, 8: 93 – 102.

Stoltz, W.H. (1996). Theileriosis in the African buffalo. In: Penzhorn, B.L. (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 126 – 133.

Stuart, C.T. & Braack, H.H. (1978). Preliminary notes on the mammals of the Bontebok National Park. *Koedoe*, 21: 111 – 117.

Sugimoto, C., Conrad, P.A., Ito, S., Brown, W.C. & Grab, D.J. (1988). Isolation of *Theileria parva* schizonts from infected lymphoblastoid cells. *Acta Tropica*, 45: 203 – 216,

Sutmoller, P., Thomson, D.R., Hargreaves, S.K., Foggin, C.M. & Anderson, E.C. (2000). The foot-and-mouth disease risk posed by African buffalo within wildlife conservancies to the cattle industry of Zimbabwe. *Prev. Vet. Med.*, 44: 43 – 60.

Swanepoel, C.M. (1993). *Patterns of habitat use by African buffalo in Mana Pools National Park, Zimbabwe*. PhD dissertation, University of Zimbabwe.

- Swelum, A.A., Mansour, H.A., Elsayed, A.A., Amer, H.A. (2011). Comparing ethylene glycol with glycerol for cryopreservation of buffalo semen in egg-yolk containing extenders. *Theriogenology*, 76: 833 - 842.
- Tanner, M. & Michel, A.L. (1999). Investigation of the viability of *M. bovis* under different environmental conditions in the Kruger National Park. *Onderstepoort J. Vet. Res.*, 66: 185 – 190.
- Tanner, M., Inlameia, O., Michel, A., Maxlhuza, G., Pondja, A., Fafetine, J. *et al.* (2014). Bovine tuberculosis and brucellosis in cattle and African buffalo in the Limpopo National Park, Mozambique. *Transboundary and Emerging Diseases*, 62(6): 632 – 638.
<https://doi.org/10.1111/tbed.12210>
- Taolo, C. (2003). Population ecology, seasonal movement, and habitat use of the African buffalo (*Syncerus caffer*) in Chobe National Park, Botswana. PhD thesis, Norwegian Univ. Science Technol., Trondheim
- Tarimo, C.S. & Pallotti, E. (1979). *Residues of aerielly sprayed DNOC in biological materials*. International Scientific Council for Trypanosomiasis Research and Control.
- Taylor, C.R. (1968). The minimum water requirements of some east African bovids. *Symposium of the Zoological Society of London*, 21: 195 – 206.
- Taylor, R.D. (1985). Buffalo and their food resources: their exploitation of Kariba lakeshore pastures. In: Jewell, P.A. & Maloiy, G.M.O. (Eds) *The Biology of large African Mammals in their Environment*. Oxford: Clarendon Press
- Taylor, R.D. (1985). *The response of buffalo, Syncerus caffer (Sparrman) to the Kariba lakeshore grassland (Panicum repens L.) in Matusadona National Park*. PhD dissertation, University of Zimbabwe.
- Taylor, R.D. (1988). Age determination of the African buffalo, *Syncerus caffer* (Sparrman) in Zimbabwe. *African Journal of Ecology*, 26: 207 – 220.
- Taylor, R.D. (1989). Buffalo and their food resources: the exploitation of Kariba lakeshore pastures. *Symposium of the Zoological Society of London*, 61: 51 – 71.
- Taylor, R.D. & Child, B. (1991). Does wildlife offer comparative advantages over cattle? The Buffalo Range case study: Ecological considerations. *Meeting rangeland challenges in Southern Africa in the 1990s*. Pretoria.
- Taylor, R.D. & Martin, R.B. (1987). Effects of veterinary fences on wildlife conservation in Zimbabwe. *Environmental Management*, 11: 327 – 334.
- Taylor, W.A., Skinner, J.D. & Boomker, J. (2013). Nematodes of the small intestine of African buffaloes, *Syncerus caffer*, in the Kruger National Park, South Africa. *Onderstepoort*

Journal of Veterinary Research, 80(1), a562. <https://doi.org/10.4102/ojvr.v80i1.562>

Teixeira, M., Kramer, B. & Hattingh, J. (1993). The adrenal gland of the African buffalo *Syncerus caffer*: a light and electron microscopic study. *South African Journal of Zoology* 28: 13 – 17.

Thal, J.A. (1972). Diseases similar to rinderpest, studies and control in Ndele, Central African Republic. An inquiry into rinderpest and similar diseases. *Programme des Nation*, VI: 111.

Thiry, E., Du Buisson, J., Bublot, M., van Bresse, M. & Pastoret, P. (1990). The biology of bovine herpesvirus-4 infection of cattle. *Deutsche Tierärztliche Wochenschrift*, 97: 72 – 77.

Thomas, A.D. & Neitz, W.O. (1933). The importance of disease in wild animals. *South African Journal of Science*, 30: 419 – 425.

Thomson, G.R. (1988). Some ecological factors involved in the occurrence of foot-and-mouth disease in southern Africa. *South African National Scientific Programmes Report*, 157: 361 – 364.

Thomson, G.R. (1995). Overview of foot and mouth disease in Southern Africa. *Revue Scientifique et Technique Office International des Epizooties*, 14: 503 – 520.

Thomson, G.R. (1996). Foot and mouth disease in the African buffalo. In: Penzhorn BL (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 113 – 120.

Thomson, G.R., Bengis, R.G., Esterhuizen, J.J. & Pini, A. (1984). Maintenance mechanisms for foot-and-mouth disease virus in the Kruger National Park and potential avenues for escape into domestic animal populations. *Proceedings of the World Congress on the Diseases of Cattle*. Durban, South Africa pp 33 – 38.

Thomson, G.R., Bengis, R.G., Starfield, A.M. & van Bergen, W.E.L. (1987). Epidemiological implications of aspects of the behaviour of foot and mouth disease virus in buffalo (*Syncerus caffer*) in the Kruger National Park. *Symposium on the current status of knowledge of wildlife diseases in southern Africa, Skukuza*: 21.

Thomson, G.R. & Blackburn, N.K. (1972). Bovine virus diarrhoea-mucosal disease in Rhodesian cattle. *Rhodesian Veterinary Journal*, 3: 15 – 19.

Thomson, G.R., Doube, B.M., Braack, L.E.O., Gainaru, M.D. & Bengis, R.G. (1988). Failure of *Haematobia thirouxii potans* to transmit foot and mouth disease virus mechanically between viraemic and susceptible cattle. *Onderstepoort Journal of Veterinary Research*, 55: 121 – 122.

Thomson, G.R., Esterhuizen, J.J., Gainaru, M.D., Bruce, W. & Bengis, R.G. (1985).

Transmission of foot-and-mouth disease virus to cattle by African buffalo. In: Della Porta, J.J. (Ed.) *Veterinary Viral Diseases*. New York/Sydney: Academia Press. pp 298 – 301.

Thomson, G.R., Gainaru, M.D. & Bengis, R.G. (1987). South Africa. Kruger National Park. Role of the African buffalo (*Syncerus caffer*) in the epidemiology of FMD. *Foot and Mouth Disease*, 19: 41 – 49.

Thomson, G.R., Vosloo, W., Esterhuysen, J.J. & Bengis, R.G. (1992). Maintenance of foot and mouth disease viruses in buffalo (*Syncerus caffer*) in Southern Africa. *Revue Scientifique et Technique, Office International des Epizooties*, 11: 1097 – 1107.

Thrash, I., Theron, G.K. & Bothma, J. du P. (1993). Herbivore dung deposit counts around drinking troughs in the Kruger National Park. *Koedoe*, 36: 87 – 93.

Thurlbeck, W.M., Butas, C.A., Mankiewicz, E.M. & Laws, R.M. (1965). Chronic pulmonary disease in the wild buffalo (*Syncerus caffer*) in Uganda. *American Review of Respiratory Disease*, 92: 801 – 805.

Troncy, P.M. & Thal, J.A. (1977). *Oesophagostomum (Proteracum) synceri* n. sp. from the African buffalo. *Bulletin du Museum National d'Histoire Naturelle*, 428: 173 – 176.

Turnbull, P.C.B., Bell, R.H.V., Saigawa, K., Munyenyembe, F.E.C., Mulenga, C.K. & Makala, L.H.C. (1991). Anthrax in wildlife in the Luangwa Valley, Zambia. *Veterinary Record* 128: 399 – 403.

Turner, D. (1987). The population ecology of *Glossina pallidipes* Austen (Diptera: Glossinidae) in the. *Bulletin of Entomological Research*, 77: 317 – 333.

Turner, M.L., Labuschagne, C. & Green, E.D. (2004). The micromorphology of the African buffalo louse *Haematopinus bufali* as observed under the scanning electron microscope. *Koedoe* 47(2): 83-90

Turner, W. (2003). Activity patterns of male buffalo. MSc Thesis, University of Witwatersrand, Johannesburg.

Turner, W.C., Jolles, A.E. & Owen-Smith, N. (2005). Alternating sexual segregation during the mating season by male African buffalo (*Syncerus caffer*). *J. Zool., Lond.* 267: 291 – 299.

Tutin, C.E.G., White, L.J.T. & Mackangamissandzou, A. (1997). The use by rain forest mammals of natural forest fragments in an equatorial African savanna. *Cons. Biol.*, 11: 1190 – 1203. (Lope GR; Gabon; Forest buffalo; habitat use).

Twigg, G.I., Sikes, S.K. & Hughes, D.M. (1970). Evidence of leptospirosis in some East African mammals. *East African Wildlife Journal*, 8: 189 – 191.

- Uilenberg, G. (1970). [Occurrence of *Haematoxenus veliferus* (Sporozoa, Theileridae) in Central Africa. Presence of an *Haematoxenus* species in African buffaloes] (French). *Rev. Elev. Méd. vét. Pays trop.*, 23: 455 – 456. (Haematoxenus; Theileria velifera; Central Africa Republic)
- Uilenberg, G. (1978). Some recent research on Theileriidae (Sporozoa) of cattle. *Tropical and Geographical Medicine*, 30: 156.
- Uilenberg, G. (1996). Heartwater (*Cowdria ruminantium*) infection: current status. *Advances in Veterinary Science and Comparative Medicine*, 27: 427 – 480.
- Urakama, T. & Shingu, M. (1987). Studies on the classification of bovine enteroviruses. *Microbiology and Immunology*, 31: 771 – 778.
- Vale, G.A. (1977). Feeding responses of tsetse flies (Diptera: Glossinidae) to stationary hosts. *Bulletin of Entomological Research*, 67: 635 – 649.
- Van der Post L. (1965). *Flamingo feather: a story of Africa*. Harmondsworth: Penguin Books
- Van der Schijff, H.P. (1959). Weidingsmoontlikhede en weidingsprobleme in Nasionale Krugerwildtuin. *Koedoe*, 2: 96 – 127.
- Van der Walt, P.T., van Zyl, I.J. & De Graaff, G. (1976). Lewensloop van 'n Kaapse buffelbevolking *Syncerus caffer* in die Bontebok Nasionale Park. *Koedoe*, 19: 189 – 199.
- Van Gylswyk, N.O. & Giesecke, D. (1973). A summary of preliminary findings in a rumen microbiological investigation on wild ruminants. *Koedoe*, 16: 191 – 194.
- Van Hooft, W.F., Groen, A.F. & Prins, H.H.T. (2000). Microsatellite analysis of genetic diversity in African buffalo (*Syncerus caffer*) populations throughout Africa. *Mol. Ecol.*, 9: 2017 – 2025.
- Van Hooft, W.F., Groen, A.F. & Prins, H.H.T. (2002). Phylogeography of the African buffalo based on mitochondrial and Y-chromosomal loci: Pleistocene origin and population expansion of the Cape buffalo subspecies. *Mol. Ecol.*, 11: 267 – 279.
- Van Hooft, W.F., Groen, A.F., Prins, H.H.T. (2003). Genetic structure of African buffalo herds based on variation at the mitochondrial D-loop and autosomal microsatellite loci: Evidence for male-biased gene flow. *Conserv. Genet.*, 4: 467 – 477.
- Van Hooft, W.F., Hanotte, O., Wenink, P.W., Groen, A.F., Sugimoto, Y., Prins, H.H.T. & Teale, A. (1999). Applicability of bovine microsatellite markers for population genetic studies on African buffalo (*Syncerus caffer*). *Anim. Genet.*, 30: 214 – 220.

Van Hoven, W. (1980). Rumen fermentation and methane production in the African buffalo *Syncerus caffer* (Sparrman, 1779) in the Kruger National Park. *Koedoe*, 23: 45 – 55.

Van Lavieren, L.P. & Esser, J.D. (1980). Numbers, distribution and habitat preference of large mammals in Bouba Ndjida National Park, Cameroon. *African Journal of Ecology*, 18: 141 – 153.

Vanleeuwe, H., Cajani, S. & Gautier-Hion, A. (1998). Large mammals at forest clearings in the Odzala National Park, Congo. *Rev. Ecol. Terre Vie*, 53: 171 – 180.

Van Niekerk, J.W. & Pienaar, U. de V. (1963). A report on some immobilizing drugs used in the capture of wild animals in the Kruger National Park. *Koedoe* 6: 126 – 133.

Van Schalkwyk, O.L., Skinner, J.D. & Mitchell, G. (2004). A comparison of the bone density and morphology of giraffe (*Giraffa camelopardalis*) and buffalo (*Syncerus caffer*) skeletons. *J. Zool., Lond.*, 264: 307 – 315.

Van Zyl, J.H.M. (1970). Embryonic implantation in the springbok (*Antidorcas marsupialis marsupialis*) and ovulation in the S.A. buffalo (*Syncerus caffer caffer*) in the S.A. Lombard nature reserve, Bloemhof, Transvaal. *Fauna & Flora, Pretoria* 17: 37.

Venter, J.A. (2004). Notes on reintroduction of Cape buffalo to Doornkloof Nature Reserve, Northern Cape Province, South Africa. *S. Afr. J. Wildl. Res.*, 34: 95 – 99.

Verheyen, R. (1954). Contribution à l'éthologie du buffle noir, *Bubalus caffer* (Sparrman). *Mammalia*, 18: 364 – 370.

Vesey-Fitzgerald, D.F. (1969). Utilization of the habitat by buffalo in the Manyara National Park, Tanzania. *East African Wildlife Journal*, 7: 131 – 145.

Vesey-Fitzgerald, D.F. 1974. Utilization of grazing resources by buffaloes in the Arusha National Park, Tanzania. *East African Wildlife Journal* 12:107-134

Vidler, B.O., Harthoorn, A.M., Brocklesby, D.W. & Robertsha, W.D. (1973). The gestation and parturition of the African buffalo (*Syncerus caffer caffer*). *East African Wildlife Journal*, 1: 122 – 123.

Viljoen, P.C. (1993). The effects of changes in prey availability on lion predation in a large natural ecosystem in northern Botswana. *Symposium of the Zoological Society, London*, 65: 193 – 213.

Visscher, D.R., van Aarde, R.J. & Whyte, I. (2004). Environmental and maternal correlates of foetal sex ratios in the African buffalo (*Syncerus caffer*) and savanna elephant (*Loxodonta africana*). *J. Zool., Lond.*, 264: 111 – 116.

Vogel, J.C. (1978). Isotopic assessment of the dietary habits of ungulates. *South African Journal of Science*, 74: 298 – 301.

Vosloo, W., Kirkbride, E., Bengis, R.G., Keet, D.F. & Thomson, G.R. (1995). Genome variation in the SAT types of foot-and-mouth disease viruses prevalent in buffalo (*Syncerus caffer*) in the Kruger National Park and other regions of southern Africa, 1986 – 93 *Epidemiology and Infection*, 114: 203 – 218.

Vosloo, W., Knowles, N.J., & Thomson, G.R. (1992). Genetic relationships between southern African SAT-2 isolates of foot-and-mouth disease virus. *Epidemiology and Infection*, 109: 547 – 558.

Vosloo, W., Bastos, A.D.S., Kirkbride, E., Esterhuysen, D.J., van Rensburg, D.J., Bengis, R.G., Keet, D.F., Thomson, G.R. (1996). Persistent infection of African buffalo (*Syncerus caffer*) with AT-type foot-and-mouth disease viruses: Rate of fixation of mutations, antigenic change and interspecies transmission. *J. gen. Virol.* 77: 1457 – 1467.

Vosloo, W., Bastos, A.D.S., Michel, A., Thomson, G.R. (2001). Tracing movement of African buffalo in southern Africa. *Rev. Sci. Techn., Off. int. Epizoot.*, 20: 630 – 639.

Vosloo, W., Thompson, P.N.N., Botha, B., Bengis, R.G. & Thomson, G.R. (2009). Longitudinal study to investigate the role of impala (*Aepyceros melampus*) in foot-and-mouth disease maintenance in the Kruger National Park, South Africa. *Transboundary and Emerging Diseases*, 56(1–2): 18 – 30. <https://doi.org/10.1111/j.1865-1682.2008.01059>

Wafula, J.S., Mushi, E.Z. & Karstad, L. (1982). Antibodies to rinderpest virus in the sera of some wildlife in Kenya. *Bulletin of Animal Health and Production in Africa*, 30: 363 – 365.

Waghela, S. & Karstad, L. (1986). Antibodies to *Brucella* spp. among blue wildebeest and African buffalo in Kenya. *Journal of Wildlife Diseases*, 22: 189 – 192.

Walker, B.H., Emslie, R.H., Owen-Smith, R.N. & Scholes, R.J. (1987). To cull or not to cull: lessons from a southern African drought. *Journal of Applied Ecology*, 24: 381 – 401.

Walker, J.B. (1974). *The ixodid ticks of Kenya*. Lond: Commonw. Inst. Entomol.

Wall, D.A., Davis, S.K. & Read, B.M. (1992). Phylogenetic relationships in the subfamily Bovinae (Mammalia: Artiodactyla) based on ribosomal DNA. *Journal of Mammalogy* 73: 262 – 275.

Wallace, C. (1977). Chromosome evolution in bovids in the Kruger National Park. *South African Journal of Science*, 73: 334 – 336.

- Wallace C. 1979. Chromosome analysis in the Kruger National Park: the mitotic and meiotic chromosomes of the African buffalo *Syncerus caffer*. *Koedoe* 22:211-214
- Wallace, C. (1979). Some trends in the evolution of the chromosomes in the Bovidae. *Koedoe*, 22: 109 – 114.
- Wallace, C. & Fairall, N. (1968). Chromosome analysis in the Kruger National Park: preliminary results in Bovidae. *South African Journal of Medical Science*, 33: 119 – 123.
- Wang, Q., Murphy, N., Black, S.J. (1999). Infection-associated decline of Cape buffalo blood catalase augments serum trypanocidal activity. *Infect Immun.*, 67: 2797 – 2803.
- Wanyangu, S.W., Olubayo, R.O., Rositter, P.B. & Waitkins, S.A. (1987). The study of the ecology and prevalence of leptospirosis in large wild ruminants and domesticated bovines found in Kenya. *Israel Journal of Veterinary Medicine*, 43: 340 – 341.
- Webb, E.C., van Ryssen, J.B.J., Erasmus, M.E.A., McCrindle, C.M.E. (2001). Copper, manganese, cobalt and selenium concentrations in liver samples from African buffalo (*Syncerus caffer*) in the Kruger National Park. *J. Environm. Mon.* 3: 583 - 585830.
- Weir, J.S. & Davison, E. (1965). Daily occurrence of African game animals at water holes during dry weather. *Zoologica Africana*, 1: 353 – 368.
- Wekesa, S.N., Sangula, A.K., Belsham, G.J., Tjornehoj, K., Muwanika, V.B., Gakuya, F. *et al.* (2015). Characterisation of recent foot-and-mouth disease viruses from African buffalo (*Syncerus caffer*) and cattle in Kenya is consistent with independent virus populations. *BMC Veterinary Research*, 11: 17. <https://doi.org/10.1186/s12917-015-0333-9>
- Wenink, P.W., Groen, A.F., Roelke-Parker, M.E., Prins, H.H.T. (1998). African buffalo maintain high genetic diversity in the major histocompatibility complex in spite of historically known population bottlenecks. *Mol. Ecol.*, 7: 1315 – 1322.
- Wenink PW, Prins HHT. 1997. Detection of allelic polymorphism in a gene of the major histocompatibility complex of African buffalo (*Syncerus caffer*). *Z. Säugetierk.* 62: 243-247
- Wentzel, J.J. (1990). *Ekologiese skeiding van geselekteerde herbivoorspesies in die benede Sabie- Krokodilgebied van die Nasionale Krugerwildtuin*. MSc thesis, University of Pretoria.
- Wentzel, J.J., Bothma, J. du P. & Van Rooyen, N. (1991). Characteristics of the herbaceous layer in preferred grazing areas of six herbivore species in the southeastern Kruger National Park. *Koedoe*, 34: 51 – 59.
- Wesonga FD, Mukolwe SW, Grootenhuis J. 2001. Transmission of *Cowdria ruminantium* by *Amblyomma gemma* from infected African buffalo (*Syncerus caffer*) and eland

(*Taurotragus oryx*) to sheep. *Trop. Anim. Hlth Prod.* 33: 379-390

Western, D. (1975). Water availability and its influence on the structure and dynamics of a savannah large mammal community. *East African Wildlife Journal*, 13: 265 – 286.

Western, D. (1979). Size, life history and ecology in mammals. *African Journal of Ecology*, 17: 185 – 204.

Weyer K, Fourie PB, Durrheim D, Lancaster J, Haslov K, Bryden H. 1999. *Mycobacterium bovis* as a zoonosis in the Kruger National Park, South Africa. *Int. J. Tuberculosis Lung Dis.* 3: 1113-1119

Whyte, I.J. (1986). A device to determine mammalian foetal conception and birth dates. *South African Journal of Wildlife Research*, 16: 156 – 158.

Whyte, I.J. (1996). The management of large buffalo populations. In: Penzhorn BL (Ed.) *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal*. Onderstepoort: Wildlife Group of the South African Veterinary Association. pp 21 – 36.

Whyte, I.J., & Joubert, S.C.J. (1987). Ecological research in the Kruger National Park. *South African Institute of Ecologists Bulletin*, 2: 26 – 36.

Wiesner, H. & Schlotke, B. (1975). White muscle diseases at the Hellabrunn Zoo in Munich. *Diseases of Zoo animals. Proceedings of the XVIIth International Symposium*. Turin pp 217 – 220.

Wilkinson, P.F. (1972). Current experimental domestication and its relevance to pre-history. In: Higgs ES. (Ed.) *Papers in economic pre-history*. London: Cambridge University Press. pp 107 – 118.

Williams, J.H., Van Dyk, E., Nel, P.J., Lane, E., van Wilpe, E., Bengis, R.G. *et al.* (2011). Pathology and immunohistochemistry of papillomavirus-associated cutaneous lesions in Cape mountain zebra, giraffe, sable antelope and African buffalo in South Africa. *Journal of the South African Veterinary Association*, 82(3): 97 – 106.

Wilson, V.J. (1968). Weights of some mammals from Eastern Zambia. *Arnoldia, Rhodesia*, 3: 1 – 20.

Wilson, V.J. (1975). Game and tsetse fly in eastern Zambia. *Occasional Papers of the National Museums and Monuments of Rhodesia*, B5: 339 – 404.

Winterbach, H.E.K. (1998). The status and distribution of Cape buffalo *Syncerus caffer* in southern Africa. *S. Afr. J. Wildl. Res.*, 28: 82 – 88.

Winterbach, H.E.K., Bothma, J. du P. (1998). Activity patterns of the Cape buffalo *Syncerus caffer* in the Willem Pretorius Game Reserve, Free State. *S. Afr. J. Wildl. Res.*, 28: 73 – 81.

Yeoman, D.H. & Walker, J.B. (1967). *The ixodid ticks of Tanzania*. Commonw. Inst. Entomol.

Wood, P.A. (1994). Red-billed oxpecker survey in southern Mana Pools. *Honeyguide*, 40: 16 – 19.

Woodbury, E.L. (1995). A review of the possible mechanisms for the persistence of foot-and-mouth disease virus. *Epidem. Inf.*, 114: 203 – 218.

Woodford, M.H. (1982). Tuberculosis in wildlife (survey of *Syncerus caffer*) in the Ruwenzori National Park Uganda (part II). *Trop. Anim. Hlth Prod.*, 14: 150 – 166.

Woodford, M.H. (1972). *Tuberculosis in the African buffalo (Syncerus caffer) in the Queen Elizabeth National Park, Uganda*. D Med Vet thesis, University of Zurich.

Woodford, M.H. (1982). Tuberculosis in wildlife (survey of *Syncerus caffer*) in the Ruwenzori National Park Uganda (part I). *Tropical Animal Health and Production*, 14: 81 – 88.

Woodford, M.H., Eltringham, S.K. & Wyatt, J.R. (1972). An analysis of mechanical failure of darts and costs involved in drug immobilization of elephant and buffalo. *East African Wildlife Journal*, 10: 279 – 285.

Woodford, M.H. & Sachs, R. (1973). The incidence of cysticercosis, hydatidosis and sparganosis in wild herbivores of the Queen Elizabeth National Park, Uganda. *Bulletin of Epizootic Diseases of Africa*, 21: 265 – 271.

Woodford, M.H. & Rossiter, P.B. (1993). Disease risks associated with wildlife translocation projects. *Revue Scientifique et Technique Office International des Epizooties*, 12: 115 – 135.

Woodburn, D.B., Steyl, J., Du Plessis, E.C., Last, R.D., Reininghaus, B. & Mitchell, E.P. (2021). Pathological findings in African buffaloes (*Syncerus caffer*) in South Africa. *Journal of the South African Veterinary Association*, 92(0), a2117.
<https://doi.org/10.4102/jsava.v92i0.2117>

Wright, B.S. (1960). Predation on big game in East Africa. *Journal of Wildlife Management*, 24: 1 – 15.

Wright, P.G., de Vos V., Marcus, F., Ganhao, M. & Hattingh, J. (1981). Species variation in plasma cholinesterase activity. *Comparative Biochemistry and Physiology*, 70: 289 – 291.

Young, A.S., Branagan, D., Brown, C.G.D., BurrIDGE, M.J., Cunningham, M.P. & Purnell, R.E. (1973). Preliminary observations on a theilerial species pathogenic to cattle isolated from

buffalo. *British Veterinary Journal*, 129: 382 – 389. (Tanzania; Corridor disease; *Theileria parva lawrencei*)

Young, A.S., Brown, C.G.D., Burridge, M.J., Cunningham, M.P., Kirimi, I.M. & Irvin, A.D. (1973). Observations on the cross-immunity between *Theileria lawrencei* (Serengeti) and *Theileria parva* (Muguga) in cattle. *International Journal for Parasitology*, 3: 723 – 728.

Young, A.S., Brown, C.G.D., Burridge, M.J., Cunningham, M.P., Payne, R.C. & Purnell, R.E. (1977). Establishment of an experimental field population of *Theileria lawrencei*-infected ticks. *Journal of Parasitology*, 63: 903 – 907.

Young, A.S., Brown, C.G.D., Burridge, M.J., Grootenhuis, J.G., Kanhai, G.K., Purnell, R.E. & Stagg, D.A. (1978). The incidence of theilerial parasites in East African buffalo (*Syncerus caffer*). *Tropenmedizin und Parasitologie*, 29: 281 – 288.

Young, A.S., Brown, C.G.D., Cunningham, M.P. & Radley, D. (1978). Evaluation of methods of immunizing cattle against *Theileria lawrencei*. In: Wilde, S.J.K. (Ed.) *Tick-borne diseases and their vectors*. Edinburgh: Centre for Tropical Veterinary Medicine. pp 293 – 296.

Young, A.S., Burridge, M.J. & Payne, R.C. (1977). Transmission of a *Theileria* species to cattle by the ixodid tick, *Amblyomma cohaerens*. *Tropical Animal Health and Production*, 9: 37 – 45.

Young, A.S., Irvin, A.D. & Woodford, M.J. (1973). *Haematoxenus* species from Ugandan buffalo *Syncerus caffer*. *Journal of Wildlife Diseases*, 9 :94 – 98. (Uganda; *Haematoxenus*; *Theileria velifera*)

Young, A.S., Kanhai, G.K. & Stagg, D.A. (1975). Phagocytosis of *Trypanosoma (Nannomonas) congolense* by circulating macrophages in the African buffalo (*Syncerus caffer*). *Research in Veterinary Science*, 19: 108 – 110.

Young, A.S., Mutugi, J., Kariuki, D., Lampard, D., Maritim, A.C. & Ngumi, P.N. (1992). Immunisation of cattle against theileriosis in Nakuru District of Kenya by infection and the introduction of unconventional tick control. *Veterinary Parasitology*, 42: 225 – 240.

Young, A.S., Radley, D.E., Cunningham, M.P., Musisi, F.L., Payne, R.C. & Purnell, R.E. (1977). Exposure of immunized cattle to prolonged natural challenge of *Theileria lawrencei* derived from African buffalo (*Syncerus caffer*). *Veterinary Parasitology*, 3: 283 – 290.

Young, E. (1968). Care of young wild ungulates. *African Wildlife*, 22: 126 – 140.

Young, E. (1969). The significance of infectious diseases in African game populations. *Zoologica Africana*, 4: 275 – 281.

Young, E. (1972). The value of waterhole counts in estimating wild animal populations. *Journal*

of the South African Wildlife Management Association, 2: 22 – 23.

Young E. (1975). Pentastomiasis (*Armillifer* and *Linguatula* sp.) infestations of wild animals in the Kruger National Park. *Journal of the South African Veterinary Association*, 46: 335 – 336.

Young, E, Basson, P.A. & Weiss, K.E. (1970). Experimental infection of game animals with lumpy skin disease virus (prototype strain Neethling). *Onderstepoort Journal of Veterinary Research*, 37: 79 – 88.

Young E., Burger, P.J. & Whyte, I.J. (1972). The use of dopram-V (Doxapram hydrochloride), a potent analeptic, on newly captured wild animals. *Veterinary Clinician*, 11: 11 – 13.

Young, E., Hedger, R.S. & Howell, P.G. (1972). Clinical foot-and-mouth disease in the African buffalo (*Syncerus caffer*). *Onderstepoort Journal of Veterinary Research*, 39: 181 – 183.

Young, E. & Van den Heever, L.W. (1969). The African buffalo as a source of food and by-products. *Journal of the South African Veterinary Association*, 40: 83 – 88.

Young, E. & Verster, A. (1975). *Echinococcus* (hydatidosis) in wild animals of the Kruger National Park. *Journal of the South African Veterinary Medical Association*, 46: 285 – 286.

Young, E. & Whyte, I.J. (1973). The use of xylazine hydrochloride (Rompun, Bayer) in the capture, management and treatment of some African wildlife species. *Journal of the South African Veterinary Medical Association*, 44: 177 – 184.

Yamba, S.M. (1969). An abandoned buffalo calf. *Puku* 5: 237.

Zuckerman, C.B. (1953). The breeding seasons of mammals in captivity. *Proceedings of the Zoological Society of London*, 122: 827 – 950.

Zulu, F.P. (1993). Ticks (Acari: Ixodidae) on wild animals around Ngoma in Kafue National Park, Zambia. *Bulletin of Animal Health and Production in Africa*, 41: 91 – 94